




iTOOL Co.



sales@tengroup.com.au • 07 3212 8999



MEASURABLE ADVANTAGES

PRODUCT CATALOG VOLUME 24.1

Innovative Tools For Professional Electricians & Contractors



Invented by Electricians for Electricians. For many years, iTOOLco, has been improving the work lives of professional electrical contractors through our innovative products. Our primary focus is developing products that increase safety, save time, lower worker effort, and improve results for hard-working contractors and the professionals they employ. When tested side by side with comparable competitor products, iTOOLco's ingenious tooling delivers "**measurable advantages.**"

Call TEN today on **07 3212 8999** to find out the advantage iTOOLco can bring to you.
Need a quote? Email sales@tengroup.com.au.

TABLE OF CONTENTS

Cable Pulling

- 4..... Cordless Cannon 3K™
- 6..... 120V Corded Cannon 3K™
- 8..... Cordless Utility Puller 3K™
- 12..... Cannon 6K™
- 14..... Cordless Cannon 6K™
- 16..... Corded Utility Puller 6K™
- 19..... Cannon 10K™
- 20..... Cannon 12K™
- 24..... Cannon MVP20K™

Cable Pulling Accessories

- 28..... Safe Pull™ Running Line Tension Meter
- 30..... Aluminum Sheaves
- 32..... Multi Rollers™
- 33..... Multi Roller Hanger™
- 34..... Manhole Adapter™
- 35..... Swivel Lifting Coupling™
- 36..... Curb Roller
- 37..... Standard Conduit Sheaves
- 37..... Lock-in-Place™ Conduit Sheaves
- 38..... Pole Mounted Puller Kit™

Tray Rollers

- 40..... Straight Cable Tray Rollers
- 42..... 90° Tray Rollers
- 43..... Adjustable Tray Roller™
- 44..... Threaded Rod Mount™

Rope & Accessories

- 46..... Pullslick
- 47..... Real Spool™
- 47..... Line Swivels
- 47..... Standard Rope™
- 48..... Swivel Sleeve™
- 49..... Real Tender™

Jack Stands

- 50..... Real Jacks™
- 51..... Jack Rack™
- 51..... Real Axle™
- 54..... Roll Jacks 3072™
- 56..... Real Pallet Jack™
- 58..... Real Big Jacks™

Carts

- 60..... Freedom Cart™
- 61..... Flex Wire Cart™
- 62..... Visual Material Center™
- 64..... Wire Cart XL™

- 65..... Pipe & Prefab Cart™
- 66..... Micro Duct Fiber Cart™
- 68..... Heavy Duty Strut Cart™
- 69..... Heavy Duty Pipe Cart™
- 70..... MC Cart™, Cable Mate™
- 71..... Cable Mate 2-Pack

Hole Making

- 72..... Gear Punch™ Knockout Kits
- 74..... Center Point™ Conduit Layout Tool
- 74..... Draw Studs
- 74..... Step Bits
- 75..... Punch & Die Sets

Tool Handling

- 76..... Tool Crane

Distributor Products

- 78..... Spool Rack Bearing System™
- 79..... Spool Picking Boom™

Driving Tools

- 81..... Ground Rod Dawg™
- 82..... Ground Rod Dawg XL™
- 84..... Strut Driver™

Other Tools

- 85..... All Jack™
- 88..... Tool Management System™

MISC. ACCESSORIES

- 90..... Replacement Handles
- 90..... Flash Light
- 90..... Foot Switch
- 91..... Wire Puller Accessories

Many of iTOOLco's products are proudly made here in the USA with global components. The products noted with this icon are built right here in the USA with parts and materials from around the world.



CORDLESS CANNON 3K™

PULLING FROM REMOTE LOCATIONS
IS NO LONGER A CHALLENGE

WIDE ANGLE DUAL HEAD ADJUSTMENT

For precise puller alignment with conduit opening



BUILT-IN ROPE ENGAGEMENT CAPSTAN SWITCH

Simply tug on the rope to start the pull and slack off the rope to shut it down

PULLING SPEEDS

40' & 108' per minute on large capstan max 1,500 lb.

18' & 50' per minute on small capstan max 3,000 lb.

EXTRA 30" EXTENSION & adapters store on cart



**Sold as shown. (CM3K)*



BATTERY CHARGER + 2 BATTERIES

6
YEAR
LIMITED

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



CORDLESS CANNON 3K™
PULLING FROM REMOTE LOCATIONS
IS NO LONGER A CHALLENGE



Handles overhead, underground, or side pulls with ease.



Built-in rope engagement capstan switch.

PATENTED

Speed, versatility, and performance are all yours with iTOOLco's Cordless Cannon 3K™. This portable 3,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down. Delivers dynamic performance in remote locations or areas where power is not yet available.

The high-capacity rechargeable battery is long-lasting and delivers maximum power. The Cannon 3K™ will even chew through a medium size run of 4 – 350s in 3" conduit with 4 – 90s 220' long in record time and still have half the battery life for your next pull.

Model	Description	Specifications
CM3K	Cordless Cannon 3K™ (Includes CM3K-1 & C3KAP)	27"L x 36"W x 83-1/2"H (Collapsed) 113-1/2"H (Extended) 137 lb. (3,000 lb. Load Capacity)



MADE IN THE
USA
 WITH GLOBAL
 COMPONENTS

6
YEAR
 LIMITED
 WARRANTY



120V CANNON 3K™

SMALL PULLER, BIG POWER

DUAL CAPSTANS OFFER PULLING SPEEDS OF
51' & 85' per minute on
1,500 lb. large capstan

16' & 40' per minute on
3,000 lb. small capstan

UNIVERSAL ADAPTER
For loads under 5,000 lb.

VERSATILE
Quickly change from
sidepull to overhead,
underground, or truck hitch

EXTRA 30" EXTENSION
allows for 9' of extra wire

5 CONDUIT ADAPTERS
store right on the cart

Foot Switch Included

WIDE ANGLE DUAL HEAD ADJUSTMENT
For precise puller alignment
with conduit opening

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



Model

C3K

Description

120 V Corded Cannon 3K™

Specifications

27"L x 36"W x 83-1/2"H (Collapsed)
27"L x 36"W x 113-1/2"H (Extended)
140 lb. (3,000 lb. Load Capacity)

120V CANNON 3K™
SMALL PULLER, BIG POWER



Dual capstans.



Includes foot switch.

PATENTED


The Cannon 3K™ is two wire pullers in one with dual capstans that can pull 16' and 40' per minute on low speed and 51' and 85' feet per minute on high speed. This wire puller is lightweight, easy to transport, and packed with power. The Cannon 3K is versatile enough to quickly adapt to any job – side pull, overhead, or underground. It only takes a minute to setup and start pulling.



Adapters store on cart.


CORDLESS CANNON 3K UTILITY PULLER™

MINIMAL SET-UP WITH THE TRUCK MOUNTED BI-DIRECTIONAL BOOM



6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



Model	Description	Specifications
UPM3K	Utility Puller 3K™ Cordless Milwaukee Motor (Includes 2 Batteries)	20"H x 20"W x 75" L (Collapsed) 20"H x 20"W x 114" (Extended) 163 lb. (3,000 lb. Load Capacity)

CORDLESS CANNON 3K UTILITY PULLER™
MINIMAL SET-UP WITH THE TRUCK MOUNTED BI-DIRECTIONAL BOOM



Mounts in 2" standard receiver stock.



Stable footprint design.




Boom articulates for underground applications.

PATENTED

Get high-speed performance on unique set-up challenges with iTOOLco's Dual Capstan Cordless 3K Utility Puller™. Designed for quick set-up, the Cordless 3K Utility Puller's articulating receiver adapter can be positioned 180° vertically or horizontally at the precise angle needed to get the job done. The four speed dual capstan pulls 18' & 50' (per min) on low speed and 40' & 108' (per min) on high speed with a built in reverse gear.

With this hardworking puller you can transfer heavy pulling loads to the ground within inches of the conduit you're pulling through. For overhead pulls, line guide rollers keep the rope centered on the capstan.





CANNON 6K™
TWO PULLERS IN ONE



Wire puller fully extended.

**Hi-Speed 3K/
Hi-Torque 6K**

- 9' of wire can be pulled from conduit opening to capstan



Shown with both extensions in use.



TRI-POD

FOR THE CANNON 6K & 3K

- Attaches to the Cannon 6K & 3K
- Use over manholes and pull boxes

Model	Description	Specifications
TPO 1	Tri-pod	36"L x 6"W x 65"H 35 lb.



CANNON 6K™
TWO WIRE PULLERS IN ONE



PATENTED

The Cannon 6K™ is two wire pullers in one with dual capstans that can pull 8' and 28' per minute on low speed and 20' and 70' feet per minute on high speed. This versatile wire puller is lightweight and easy to transport, making it the puller of choice for many contractors and electricians.

WE OWN TWO OF THE ITOOLCO CANNON 6K™ WIRE PULLERS.

We just pulled 350' of 4 conductors 250 MCM in about five minutes. Best tugger I've ever used.

Michael C.
K2 Electric

Model	Description	Specifications
C6K.2	Cannon 6K™ - 6,000 lb. wire puller	21.5"L x 21.5"W x 48"H Load Capacity 6,000 lb.


Cannon 6K™ Includes:		
C6K.2	Cannon 6K™ - wire puller	130 lb.
CK-10	Universal adapter - for loads under 5,000 lb.	
SP-130	Foot Switch (UL listed)	
CK-612	Foot Switch Holder	
CK-20/40	5 Conduit adapters sizes 2" through 4"	
	Milwaukee 1680-20 power motor, 2 speed, 13 amp, field replaceable (6 year limited warranty on motor)	



One pop pin removes the 6K from cart. Shown pulling on the 6,000 lb. capstan.



Compatible with 2" standard receiver hitches. Shown pulling on 3,000 lb. capstan.



Foot switch and 30" extensions store right on cart.



MADE IN THE
USA
WITH GLOBAL COMPONENTS

6
YEAR
LIMITED
WARRANTY



CORDLESS CANNON 6K™

PULL UP TO 52' PER MINUTE IN REMOTE LOCATIONS

BUILT-IN ROPE ENGAGEMENT CAPSTAN SWITCH

Simply tug on the rope to start the pull and slack off the rope to shut it down

WIDE ANGLE DUAL HEAD ADJUSTMENT

For precise puller alignment with conduit opening



PULLING SPEEDS

22' & 52' per minute on 3,000 lb large capstan

7' & 16' per minute on 6,000 lb small capstan



BATTERY CHARGER + 1 BATTERY (INCLUDED)

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



Model

CD6K

Description

Cordless Cannon 6K™
Includes Cart and Adapters
Battery Charger + 1 Battery

Specifications

48"H x 21.5"L x 21.1"W
137 lb. (6,000 lb. Load Capacity)

CORDLESS CANNON 6K™
PULL UP TO 52' PER MINUTE IN REMOTE LOCATIONS



Handles overhead, underground, or side pulls with ease.



Built-in rope engagement capstan switch.



Fully self contained unit.



PATENTED

Speed, versatility, and performance are all yours with iTOOLco's Cordless Cannon 6K™. This portable 6,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down. Delivers dynamic performance in remote locations or areas where power is not yet available.

UTILITY PULLER 6K™

MINIMAL SET-UP WITH THE TRUCK MOUNTED BI-DIRECTIONAL BOOM



2-SPEED MOTOR
With reverse

LINE GUIDE ROLLERS
Keep rope centered

DUAL CAPSTANS
3,000 lb. large capstan
capable of pulling
20' & 70' per minute
6,000 lb. small capstan
capable of pulling
8' & 28' per minute

TELESCOPING TUBING
To match any grade

MOUNTS TO 2" STANDARD RECEIVER STOCK

ADJUSTABLE FRONT ROLLER
Allows you to position pulling rope at the center of the conduit

BI-DIRECTIONAL BOOM
Allows for precise puller set-up

**Sold as shown.*

STABLE T-FOOTPRINT

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



**For transportation purposes. Do NOT exceed 25 mph while loaded in receiver hitch.*

UTILITY PULLER 6K™
**MINIMAL SET-UP WITH THE TRUCK
 MOUNTED BI-DIRECTIONAL BOOM**



Mounts in 2" standard receiver stock.



Pull overhead lines.




Boom articulates for underground applications.

PATENTED

Tackle unique set-up challenges with precision and performance using iTOOLco's Utility Puller 6K™. Designed for faster set-up, the Utility Puller 6K's articulating receiver adapter can be positioned 180 degrees vertically or horizontally at the precise angle needed to get the job done.

With the hardworking Utility Puller 6K, you can transfer heavy pulling loads to the ground within inches of the conduit you're pulling through. For overhead pulls, line guide rollers keep the rope centered on the capstan.

Model	Description	Specifications
UP6K	Utility Puller 6K™ 11A 120V AC Motor	20"H x 20"W x 75"L (Collapsed) 114"L (Extended) 130 lb. (6,000 lb. Load Capacity)
UPD6K	Utility Puller 6K™ 60V Cordless Dewalt Motor	20"H x 20"W x 75"L (Collapsed) 114"L (Extended) 128 lb. (6,000 lb. Load Capacity)



**MADE IN THE
 USA**
 WITH GLOBAL
 COMPONENTS

**6
 YEAR
 LIMITED
 WARRANTY**



JOB SITE PHOTOS



CANNON 10K™

TWO WIRE PULLERS IN ONE



PATENTED

iTOOLco's Cannon 10K™ is the fastest wire puller on the market. This versatile puller is easy to maneuver and can be changed quickly from side pulls to overhead or underground. All of our pullers can be attached to the receiver hitch on a truck.

WE HAD FIVE PARALLEL RUNS OF 500 MCM, 540 FEET LONG TO PULL, AND WE GOT THEM ALL PULLED IN ABOUT FOUR HOURS.

Made a profit of about \$4800 the first day. We now own eight Cannon 10K™ pullers and three Cannon 6K™ tuggers, as well as 12 sets of the Real Jacks™ for feeding wire.

Kenny C.
Inglett Stubbs Electrical Construction

Model	Description	Specifications
C10K.2	Cannon 10K™ - 10,000 lb. wire puller	10'6"L x 30"W (fully extended) Load Capacity 10,000 lb.

Cannon 10K™ Includes:

C10K.2	Cannon 10K™ - wire puller	308 lb.
CK-10	Universal adapter - for loads under 5,000 lb.	
SP-190	Foot Switch (UL listed)	
CK-612	Foot Switch Holder	
CK-20/40	5 Conduit adapters sizes 2" through 4" (5" & 6" available)	



Force gauge available.



High speed - 5,000 lb. capstan.



High torque - 10,000 lb. capstan.



MADE IN THE
USA
 WITH GLOBAL
 COMPONENTS

6
 YEAR
 LIMITED
 WARRANTY



CANNON 12K™

THE ONLY SIX SPEED PULLER WITH REVERSE GEAR AND DUAL CAPSTANS

QUICKLY CHANGE PULLER FROM UNDERGROUND
To overhead, side pull, or truck hitch



SIX SPEED PULLER
With reverse gear and 12,000 lb. pulling capacity

EXTRA 33" AND 15" EXTENSIONS

Allow for longer reach - getting you 13' of wire from conduit opening to capstan

PHENOLIC ROLLER
For fast easy pulling

FOOT SWITCH
SP-190
(UL standard)



5 CONDUIT ADAPTERS

Sizes 2" through 4" (5" & 6" available) for loads over 5,000 lb.

**Sold as shown*

UNIVERSAL ADAPTER


Fits 1" - 4" for loads under 5,000 lb.

6K CAPSTAN
Pulls at 12', 24', & 36' FPM

12K CAPSTAN
Pulls at 5', 10', & 15' FPM

REAR SWIVELING CASTERS
For job site transportation and precise conduit positioning

EXTRA RECEIVER HITCH ADAPTER
For bolting down puller if needed



6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



CANNON 12K™

THE TOUGHEST PULLER YOU'LL EVER USE



RUNNING LINE TENSION METER & FORCE GAUGE AVAILABLE.



Extra extensions store on puller when not in use.

PATENTED

The fully self-contained, compact design of the Cannon 12K™ wire puller is the only 6-speed puller with a reversible motor and is sure to get even the heaviest pulls done in record time. Designed specifically for easy set-up to meet job site demands, all parts store right on the puller. No gang box of parts needed. When extra extensions are used, the wire puller is capable of pulling out 13' of wire from the conduit opening. Gone are the days of pulling at only 6' per minute. iTOOLco's Cannon 12K™ pulls at speeds up to 36' per minute.

Model	Description	Specifications
C12K	Cannon 12K™ - 12,000 lb. Wire Puller	68"L x 30"W x 57"H (Collapsed) 188"L x 30"W x 57"H (Extended) Load Capacity 12,000 lb.

Cannon 12K™ Includes:		
C12K	Cannon 12K™ Wire Puller	404 lb.
C12K-406	33" Extension	
C12K-404	15" Extension	
C10K-431.2	Extension Storage Cradle	
C10K-619	Extra Receiver Hitch & Casters (fully assembled)	
SP-190	Foot Switch (UL listed)	
CK-612	Foot Switch Holder	



Use for overhead, underground, or side pulls.

CABLE PULLING | 10K & 12K Can Achieve These Unique Configurations



Both the Cannon 10K & 12K can fit in tight spaces.



Pull LBs easily in a parking lot with Cannon 10K & 12K. Both can be anchored to the truck with a hitch adapter.



Bolt down the Cannon 12K or 10K when needed.




CANNON MVP20K™
MORE POWER FOR YOUR BIGGEST PULLS

COMPATIBLE WITH ANY HIGH FLOW SKID STEER
 Ultimate hydraulic control (High Flow Aux)

DUAL CAPSTAN DESIGN

20,000 LB PULLING CAPACITY
 Pulls up to 65' per minute (at loads under 10,000 lbs.)



HYDRAULIC BOOMS FOR EASY PLACEMENT
 Controlled from cab of skidsteer

ANCHOR POINTS

24" DIAMETER ROLLER



OUTPUT TORQUE LIMIT DIAL
 Lets user set maximum pulling force

X-base sold separately.

X-BASE AND T-BASE ARE EQUIPPED WITH PICKING POINTS TO ATTACH BULL WHEELS OR PULLING SHEAVES MAKING ANY ANGLE ACHIEVABLE, PERFECT FOR INSIDE OF VAULTS.

6
YEAR
 LIMITED
 WARRANTY

MADE IN THE
USA
 WITH GLOBAL
 COMPONENTS



Model	Description	Specifications
MVP20K	Cannon MVP20K	46"W x 76"L x 91"H Folded " 2,020 lb.
MVPXB	MVP20K X Base (Sold Separately)	

CANNON MVP20K™
PULL UP TO 65' PER MINUTE




Attaches to any high flow skid steer.



Hydraulic adjustment of extensions.



Control your pulling force using the output torque limit dial.



PATENTED

Designed to handle your toughest pulls, iTOOLco's Hydraulic MVP20K is sure to meet any challenge. The fully self-contained unit attaches to any high flow skid steer, providing long awaited jobsite mobility.

iTOOLco's industry leading dual capstan design and overall jobsite versatility afford operators many different setup configurations. Hydraulic booms ensure an easy set up and placement, increasing pulling efficiency. The MVP20K features an adjustable output torque limit dial, allowing the user to set load limits prior to the pull. Ensuring the puller never exceeds the preset limit by shutting the capstans off. With staggering pulling speeds reaching up to 65' per minute under load, the MVP20K is the most advanced pulling system on the market today. An easy to read force gauge and optional running line tensioner make quick work of monitoring and recording pulling tensions.

***Electrical products & Solutions Top Products 2022 award winner.**



WARRANTY





COMPONENTS



sales@tengroup.com.au • 07 3212 8999

IToolCo.

SAFE PULL™
RUNNING LINE TENSION METER
 ACCURATELY MONITOR CABLE TENSION
 & PREVENT ROPE BREAKS



Includes Carrying Case


FULLY CONSTRUCTED
 From light and durable billet anodized aluminum
 with no structural plastic parts

WIDE RANGE OF CAPABILITIES

Accepting synthetic and polycotton blend
 ropes from 5/32" - 3/4" in diameter

FIVE ROLLER DESIGN
 Improved accuracy

EASY INSTALLATION
 Linchpins are fitted for
 quick and easy rope
 installation



Mounting Kit Included



BOLT DOWN MOUNT CAPABILITIES

Non-corrosive mounting feet for mounting
 to puller or use as stand alone

STANDARD AA BATTERIES
 Battery life 500 hours



*Shown on the SPRLT36

1
YEAR
 LIMITED
 WARRANTY




Model	Description	Specifications
SPRLT20K	Running Line Tension Meter	5.98"H x 1.4"W x 16.62"L 10 lb.
SPRLT36	3K & 6K mount for the SPRLT20K	

SAFE PULL™ RUNNING LINE TENSION METER

ACCURATELY MONITOR CABLE TENSION
& PREVENT ROPE BREAKS



REMOTE MONITORING
Smartphone application
via Bluetooth
(Android & IOS Compatible)
**Phone not included*



Overhead & right angle pulls.



Underground pulls.



App for Android & IOS platforms.

PATENT PENDING

Track every pull on your mobile device with the Safe Pull RLT application. Set load limits and get audible alarms on pulls on loads measuring up to 20,000 lbs. The convenient GPS capability ensures correct information is provided about the corresponding jobsite and notifications about tracked loads are sent wherever they need to go via email & stored on your device until you're ready to delete them.

Accurately monitor & save cable tension while preventing damage. Increase safety ensuring that cable is being pulled at a safe tension level by integrating the Safe Pull RLT. The lightweight design & included carrying case allows for easy transportation around the jobsite.

HOOK-TYPE ALUMINUM SHEAVE

CHANGE PULLING FORCE DIRECTIONS WITH EASE



6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



HOOK-TYPE ALUMINUM SHEAVE
CHANGE PULLING FORCE DIRECTIONS WITH EASE



Extra wide.



Easily load & unload.



Extra hook accessory available.


PATENT PENDING

Change the direction of rope or cable while installing cable in conduit or raceway using iTOOLco's Hook-Type Aluminum Sheaves™. With these innovative hook sheaves, you can remove cable from either side of the sheave once the pull is complete and then reset for the next pull in seconds -- without ever disconnecting the sheave from the hook assembly. Using iTOOLco sheaves minimizes the need for cable splicing between beginning and end points of termination, saving you valuable time.

Model	Description	Specifications
AS12	12" Hook-Type Aluminum Sheave	35"L x 7-1/4"W x 12" Dia. 29 lb.
AS18	18" Hook-Type Aluminum Sheave	40"L x 9"W x 18" Dia. 48 lb.
AS24	24" Hook-Type Aluminum Sheave	42"L x 9"W x 24" Dia. 55 lb.
AS36	36" Hook-Type Aluminum Sheave	44"L x 9"W x 36" Dia. 80 lb.
ASA12-24	Fits 12"-24" Sheaves (Dual Yoking) Note: NOT Compatible with AS36	30"L x 9"W x 3"H 21 lb.
ASA36	Fits 36" Sheave (Dual Yoking)	35"L x 9"W x 3"H 23 lb.

MULTI ROLLERS™

RIG THE PERFECT ANGLE EVERY TIME



HOOKS HAVE 8" OF ADJUSTMENT

UNLIMITED CONFIGURATION OPPORTUNITIES

36" RADIUS MULTI ROLLER MR36

EXTRA DEEP SIDEWALLS

- Made of 1/4" 6061 aluminum
- Keeps wire safely nested between walls during pull

24"H

58.66"L

24" RADIUS MULTI ROLLER MR24

6"W

WIDE DESIGN

- Extra wide 5" profiled rollers, for smooth and easy pulling

24"H

6"W

42.5"L

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



THE FLEXIBLE DESIGN OF THE MULTI ROLLER PICKING ARMS MADE THEM MUCH EASIER TO RIG THE CORRECT ANGLE.

We didn't need to keep messing with the length of the sling to get the angle we needed. They're much lighter too!

Will Humbar
President HEI

COMPONENTS

MULTI ROLLERS™



Adjustable hooks.



Easy to load.



Extra wide.


PATENT PENDING

The Multi Roller™ features extra wide, profiled phenolic rollers. Rollers ride on rated bearings. Extra deep side walls (made from 1/4" 6061 aluminum) offer a light yet durable tool. The adjustable picking arms allow users to fine tune the adjustment angle without extra rigging. Sold as shown. Perfect for vertical pulls, but can also be installed horizontally for navigating difficult corners.

Model	Description	Specifications
MR36	36" Multi Roller	58.66"L x 6"W x 24"H, 83 lb. Load capacity 5,000 lb.
MR24	24" Multi Roller	42.5"L x 6"W x 24"H, 70 lb. Load capacity 5,000 lb.

MULTI ROLLER HANGER™

FEED WIRE EASIER THAN EVER



Multi Roller (MR36) sold separately.

PATENT PENDING

Mount large radius rollers effortlessly to manholes and other fixed edges. Lightweight and durable, the Multi-Roller Hanger™ is designed to extend the performance of iTOOLco's 24" and 36" Multi-Rollers for smarter rigging on wire pulls. Attach it to Unistrut, cinder blocks – or simply anchor it to concrete.

Model	Description	Specifications
MRH2436	Multi Roller Hanger™	14-3/4"L x 9"W x 7-1/2"H



MADE IN THE
USA
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY

MANHOLE ADAPTER™

EASILY MOUNT PULLING EQUIPMENT OVER MANHOLES & JUNCTION BOXES



**Sold as shown.
Multi Roller & Required
Conduit adapter sold
separately*

PATENT PENDING

Get better stability and versatility when pulling wire over manholes with iTOOLco's Manhole Adapter™. Tough all steel construction provides a secure platform that fits 18" to 36" manholes. Simply use the frame to position the wire puller above the manhole, secure in place with steel anchoring points (built-in), and begin pulling wire. Designed to work with every iTOOLco wire puller from the Cannon 6K™ up to the Cannon 12K™, the Manhole Adapter™ is also compatible with iTOOLco 24" and 36" Multi-Rollers™.

Model	Description	Specifications
MHA1	Manhole Adapter™	40"L x 11-1/2"W x 2-3/4"H 63 lb.
CK-60	6" Conduit Adapter (Sold Separately)	



Easily mount over manholes.



Convenient accessory hooks.



**Unlimited versatility
and ease of use.**

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



SWIVEL LIFTING COUPLING™

SAFELY LIFT CONDUIT RISERS



PATENT PENDING

Install riser conduits safer and faster. The unique design of iTOOLco's Swivel Lifting Coupling™ features a built in lifting eye to provide a convenient rigging location. The Swivel Lifting Coupling keeps conduit in a level position for threading pipe together for final assembly. Kits available or sold individually in five sizes ranging from 3" to 6".

Model	Description	Specifications
SLC30	3" Swivel Lifting Coupling™	6"L x 4"W x 12"H
SLC35	3.5" Swivel Lifting Coupling™	6-1/2"L x 4-1/2"W x 12"H
SLC40	4" Swivel Lifting Coupling™	7"L x 5"W x 12-1/4"H
SLC50	5" Swivel Lifting Coupling™	8"L x 6"W x 12-1/2"H
SLC60	6" Swivel Lifting Coupling™	9-1/4"L x 7-1/4"W x 13-1/2"H
SLC34	3"-4" Swivel Lifting Coupling™ Kit	
SLC56	5"-6" Swivel Lifting Coupling™ Kit	



Conduit stays level for connection.



Safely lift pipe.



MADE IN THE
USA
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY





PATENTED



HANGING SHEAVE

- 13,000 lb. capacity
- Adjustable center sheave to vary pulling radius from 24" to 36"
- Pinned steel yoke for easy removal
- Steel frame for heavy pulls
- Four bearings in each roller for much easier pulls
- High impact nylon rollers won't break

Model	Description	Specifications
HS2436	Hanging Sheave	11"L x 25"W x 19"H, 46 lb.

5 ROLLER DESIGN

Is lightweight and easy to handle

CR10
10,000 LB CAPACITY

FOUR MOUNTING HOLES
Provided for any unique situation

FLEXIBLE DESIGN
Mounts to 2" rigid pipe or iTOOLco Real Axles™

5-1/4" WIDE OPENING
With bearinged rollers delivers a smooth feed

7 ROLLER DESIGN
Is heavy duty and built to handle your toughest pulls

CR20
20,000 LB CAPACITY

FLEXIBLE MOUNTING POINT
With built in mounting holes

6-1/4" WIDE OPENING
With bearinged rollers delivers a smooth feed

CURB ROLLER

- Mounts over 2" rigid pipe
- Four 1/2" mounting holes provided for any unique feeding situation
- Perfect for many different pulling and feeding situations - curbs, manholes, in and out of electrical boxes
- Will roll rope or wire over any edge
- Five rollers with bearings makes rounding edges smooth and easy



Model	Description	Specifications
CR10	Curb Roller	9"L x 9"W x 16"H, 25 lb.
CR20	Curb Roller	23"L x 15"W x 15"H, 160 lb.

L.I.P.[™] CONDUIT SHEAVES

LOCK-IN-PLACE FEEDING SHEAVES



Locks in place - overhead at any angle - in under a minute.



Fully adjustable thread depth.



Reduces risk of damaging valuable wire.

PATENTED

L.I.P.[™] (Lock-in-Place) Conduit Feeding Sheaves make it possible to lock sheaves in place at any angle or inclination. The phenolic resin wheel is more durable than cast and won't dent or break. Unlike conventional sheaves, L.I.P.[™] Conduit Feeding Sheaves enable the installer to stay clear of the equipment, keeping hands and limbs safely out of the way. Needle bearing rollers ensure a smooth installation by minimizing drag on the pull and reducing the risk of damaging valuable wire.

Model	Description	Specifications
LOCK-IN-PLACE SHEAVES		
CS20	2"	15"L x 6"W x 5"H, 6 lb.
CS25	2-1/2"	15"L x 6"W x 5"H, 7 lb.
CS30	3"	16"L x 7"W x 6"H, 12 lb.
CS35	3-1/2"	16"L x 7"W x 6"H, 12 lb.
CS40	4"	16"L x 7"W x 6"H, 12 lb.
CS24	2"- 4" Kit	
STANDARD SHEAVES		
CS50	5"	16"L x 7"W x 7"H, 13 lb.
CS60	6"	17"L x 8"W x 8"H, 13 lb.
CS56	5" & 6" Kit	



MADE IN THE
USA
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY

POLE MOUNTED PULLER KIT™

MOUNT YOUR ITOOLco 3K OR 6K PULLER TO A POLE

COMPATIBLE WITH 3K & 6K PULLERS
Both corded and cordless

WRAP AROUND SECUREMENT CHAIN
Tightens and stabilizes unit

ENGAGEMENT TEETH
Bite into the pole

INSTALLATION HOOK POINTS
For one person installation of unit onto pole

**Puller not included*



6
YEAR
LIMITED
WARRANTY




Model	Description
PMK36	Pole Mount Kit

POLE MOUNTED PULLER KIT™

MOUNT YOUR iTOOLco 3K OR 6K PULLER TO A POLE



One man installation point.



Rope guide keeps rope in line.




Engagement teeth bite into the pole.

PATENT PENDING

Now you can mount iTOOLco pullers to a pole! Pulling those remote overhead runs is easy with iTOOLco's pole mounted puller kit. The kit features a one man installation hook point. This unique hook point eliminates the need for two people to install the puller to the pole. Whether you want to pull at the high speeds offered by the Cannon 3K, or you have a little tougher work to do and need a 6,000 pound cordless puller, we've got your back. The kit works with both cordless and corded 3K & 6K models, giving you the ultimate flexibility.

CABLE TRAY ROLLERS™

COMPATIBLE WITH A VARIETY OF STRUT TYPES AND SUPPORTING MEMBERS



- Works great attaching to a structural member as well, such as the flange of an I-beam or column

Model	Description	Specifications
TRST05	5" Tray Roller*	7"L x 2"W x 8.5"H, 4 lb. Load capacity 2,000 lb.
TRST10	10" Tray Roller*	12.5"L x 2"W x 8.5"H, 8.5 lb. Load capacity 2,000 lb.
TRST20	20" Tray Roller*	23"L x 2"W x 8.5"H, 15 lb. Load capacity 2,000 lb.
TRST30	30" Tray Roller*	33.5"L x 2"W x 8.5"W, 23 lb. Load capacity 2,000 lb.

*Check tray manufacturer specs for maximum capacity.



SP-181
Two Locking underpins included

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



CABLE TRAY ROLLERS™

INSTALL IN THREE EASY STEPS

5" Tray Roller
TRST05




10" Tray Roller
TRST10



20" Tray Roller
TRST20



30" Tray Roller
TRST30



1. Drop over.



2. Tighten.



3. Pin.

PATENT PENDING

A revolutionary update to conventional tray rollers, iTOOLco's Straight Cable Tray Rollers™ install ten times faster than traditional tray rollers, saving time and money.

With tremendous functionality, these tray rollers can be mounted above or below the tray and quickly secure in place. Withstanding cable pulling loads of up to 2,000 lb., iTOOLco's Straight Cable Tray Rollers™ glide smoothly on rated bearings and have versatility to handle a variety of strut and supporting members.

90° TRAY ROLLER™
COMBINE TWO TO MAKE A TRAPPING TRAY ROLLER



5" 90° Tray Roller
 TR9005

10" 90° Tray Roller
 TR9010

PATENT PENDING

iTOOLco's 90° Trapping Tray Rollers™ install in three easy steps and are compatible with more construction substrates than the competition. Simply drop-over, tighten, and pin. Navigating difficult corners is a snap with 90° Trapping Tray Rollers™. Two TR90s combine to trap conductors and handle elevation changes. It opens and closes from either side providing the utmost job site flexibility.

Model	Description	Specifications
TR9005	5" 90° Tray Roller*	9-1/4"L x 5.5"W x 10"H, 9 lb. Load capacity 2,000 lb.
TR9010	10" 90° Tray Roller*	14"L x 5.5"W x 10"H, 14 lb. Load capacity 2,000 lb.

*Check tray manufacturer specs for maximum capacity.



Two snap together in seconds to guide trapped conductors.




Drops right onto supporting member and secures into place quickly.



Cable and wire turn corners smoothly.



Combine two
TR9005's or TR9010's
to make a
trapping tray roller!



Shown in use with the TRA-500.
Sold separately.

PATENT PENDING

ADJUSTABLE TRAY ROLLER™

INSTALLS 10X FASTER THAN STANDARD CABLE ROLLERS

iTOOLco's Adjustable Cable Tray Roller™ is the perfect upgrade from a standard cable roller. Designed to save time by installing quickly, the Adjustable Cable Tray Roller™ has a slide support that can be extended to fit on tray rung spaces from 10" to 21-1/4".

Model	Description	Specifications
ATR500	Adjustable Tray Roller	20-1/4"L x 6-1/2"W 12 lb., 17 lb. with TRA500
TRA500	Tray Roller Attachment (upper roller, pin, and arms)	5-1/4"L x 6-1/4"W" x 10"H, 5 lb.

*Check tray manufacturer specs for maximum capacity.



MADE IN THE
USA
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY

THREADED ROD MOUNT™
MOUNT TRAY ROLLERS FASTER THAN EVER

NYLOCK NUT
Keeps bridge secure

TWO SIZES AVAILABLE FITTING
3/8" & 1/2" threaded rod
or 5/8" & 3/4" threaded rod
with all thread slots for easy setup

MOUNTING CLAMP
Easily captures
threaded rod


MOUNTING PIN POCKETS
For quick and simple connection

IToolCo.		
Part # TRM 500		
Rating Each*	LB	KG
Size: 3/8"	750	340
Size: 1/2"	1300	590
*For temporary use only. Do not exceed supporting member rating. ST-0355		

***Sold as shown**

THREADED ROD MOUNT™

QUICKLY MOUNT AT THE HEIGHT YOU NEED



Drop over.



Align.



Install conductors easier than ever.

PATENT PENDING

Pulling conductors into tray is easier than ever with iTOOLco's Threaded Rod Mount™. Simply mount both brackets above or below your trapeze on the threaded rod, install the framing member, and drop the tray roller over. Once the wire pull is complete, simply open the tray roller and drop conductors out into their final nested position. Then you're ready for your next wire pull.

ALL THREADED ROD MOUNTS ARE ZINC PLATED. THE ORANGE THREADED ROD MOUNTS SHOWN IN THE ABOVE IMAGES ARE ONLY FOR PHOTOGRAPHY PURPOSES.

Model	Description	Specifications
TRM500 (pair)	3/8" & 1/2" Threaded Rod Mount™*	3"L x 3-1/2"W x 4"H, 4 lb. Load capacity 600 lb. or 1,200 lb. combined
TRM750 (pair)	5/8" & 3/4" Threaded Rod Mount™*	3"L x 3-1/2"W x 4"H, 4 lb. Load capacity 600 lb. or 1,200 lb. combined



MADE IN THE
USA
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY



Eliminates The Need For All Other Pulling Ropes

CUSTOM LENGTHS AVAILABLE!



PULL-SLICK™

- An innovative high performance synthetic fiber pulling rope

Strength

- High tensile strength: 39,000 lb.
- 12 Strand single braided synthetic fiber
- Pound for pound stronger than steel
- Ultra low stretch

Speed

- 25% Reduction in coefficient of friction compared to traditional pulling ropes
- 2/3 Lighter than traditional pulling rope

Convenience

- Need only one size rope (9/16") for pulls up to 15,000 lb. pulls
- Does not absorb water
- Dual factory installed pulling eyes, one on either end
- Lightweight

Durable

- Abrasion resistance for less fray
- Will not rot; no organics in rope
- UV resistant



Model	Description	Dia. (IN)	Avg. Breaking Strength	Total Wt.	Dimensions (IN)
PS18-300	1/8" x 300' PullSlick	1/8"	2,800 lb.	4 lb.	12 x 11 x 11
PS14-300	1/4" x 300' PullSlick	1/4"	7,500 lb.	5 lb.	12 x 11 x 11
PS14-600	1/4" x 600' PullSlick	1/4"	7,500 lb.	8 lb.	15 x 15 x 16
PS14-1200	1/4" x 1200' PullSlick	1/4"	7,500 lb.	16 lb.	20 x 20 x 20
PS916-300	9/16" x 300' PullSlick	9/16"	39,000 lb.	45 lb.	17 x 17 x 17
PS916-600	9/16" x 600' PullSlick	9/16"	39,000 lb.	63 lb.	21 x 21 x 17
PS916-900	9/16" x 900' PullSlick	9/16"	39,000 lb.	91 lb.	24 x 24 x 24
PS916-1200	9/16" x 1200' PullSlick	9/16"	39,000 lb.	116 lb.	25 x 25 x 22
PS34-1500	3/4" x 1500' PullSlick	3/4"	83,000 lb.	262 lb.	30 x 30 x 34
PS34-3000	3/4" x 3000' PullSlick	3/4"	83,000 lb.	524 lb.	39 x 39 x 37
PS718-2600	7/8" x 2600' PullSlick	7/8"	90,000 lb.	650 lb.	42 x 35 x 35
PS18-CUST	Custom 1/8" PullSlick Rope (100' to 4900') (Eye on Each End)	1/8"	2,800 lb.	varies	varies
PS14-CUST	Custom 1/4" PullSlick Rope (100' to 4900') (Eye on Each End)	1/4"	7,500 lb.	varies	varies
PS916-CUST	Custom 9/16" PullSlick Rope (100' to 4900') (Eye on Each End) (Over 1200' Comes on Real Spool)	9/16"	39,000 lb.	varies	varies

PULLING ROPE

- Double braided for added strength and low stretch
- Rot and mildew resistant
- Factory spliced eyes at both ends
- Low stretch


Model	Description	Specs
Tensile Strength: 16,300 lb.		
P58-100	5/8" x 100' Standard Pulling Rope	5/8" x 100'L
P58-300	5/8" x 300' Standard Pulling Rope	5/8" x 300'L
P58-600	5/8" x 600' Standard Pulling Rope	5/8" x 600'L
Tensile Strength: 26,000 lb.		
P34-100	3/4" x 100'L Standard Pulling Rope	3/4" x 100'L
P34-600	3/4" x 600'L Standard Pulling Rope	3/4" x 600'L
Tensile Strength: 32,000 lb.		
P78-100	7/8" x 100'L Standard Pulling Rope	7/8" x 100'L
P78-600	7/8" x 600'L Standard Pulling Rope	7/8" x 600'L
P78-1200	7/8" x 1200'L Standard Pulling Rope	7/8" x 1200'L
P78-3000	7/8" x 3000'L Standard Pulling Rope	7/8" x 3000'L
PP14-1200	1/4" x 1200'L Yellow Polypropylene Rope	1/4" x 1200'L



REAL SPOOL™

- Holds up to 300 lb. & up to 1,200' of rope
- Will not splinter like a wood spool
- Lighter than a wooden spool
- Will not fray or damage the rope like wood
- Made out of heavy US steel, making it more durable than the average spool
- Works great for iTOOLco's Pull-Slick

Model	Description	Specifications
RS01	Real Spool™	27"L x 24"W x 24"H, 30 lb.



***Not Intended For Crane Use or Lifting Loads**
use only for wirepulling

PATENT PENDING

Take the guesswork out of connecting pulling eyes and rope using iTOOLco's Pulling Swivels. Quality tested to ensure optimum performance and reliability, iTOOLco Pulling Swivels combine a high safe working load with a compact, heavy-duty design. By uniformly distributing the load, iTOOLco Pulling Swivels reduce wear on the rope pulling eye. Two pins provide a quick and secure connection between the rope and wire. Cable and rope swivel independently, reducing tangling of rope and cable during pulls. iTOOLco Pulling Swivels are available in three convenient sizes.

Model	Description	Specifications
SW-114	1-1/4" Pulling Swivel™	3-3/4"L x 3/4"H x 1-1/4"W 1 lb. (6,000 lb. Load Capacity)
SW-158	1-5/8" Pulling Swivel™	5-1/4"L x 7/8"H x 1-5/8"W 2 lb. (14,000 lb. Load Capacity)
SW-200	2" Pulling Swivel™	6-1/2"L x 1-1/8"H x 2"W 3 lb. (20,000 lb. Load Capacity)

PULLING SWIVEL™

ELIMINATE TANGLING AND WINDING OF ROPE/CABLE DURING ANY PULL



Protects pulling eye.



Easy installation.



Quick install between pulling eye and pulling swivel.




MADE IN THE
USA
WITH GLOBAL COMPONENTS

6
YEAR
LIMITED WARRANTY

SWIVEL SLEEVE™

KEEP YOUR SWIVELS WITH YOUR ROPE



Keep Swivels With Your Rope.



Easy Pop-Pin Attachment.



Holds 1-1/4" & 1-5/8" Swivels.

PATENTED

Store your line swivel with your ropes. iTOLCo now offers a convenient place to store your line swivels where they belong, WITH YOUR ROPE! Eliminate unnecessary misplacement of your swivels and always have them at your side. The Swivel Sleeve attaches to your Real Tender, ensuring you're not overlooking the line swivel when heading out for a pull. By using line swivels you prolong the life of your ropes and decrease the chance of rope eyes breaking. The Swivel Sleeve holds both 1-5/8" & 1-1/4" swivels for ultimate jobsite flexibility.

Model	Description	Specifications
SS02	Swivel Sleeve™	5"H x 4"W x 4"L 4 lb.

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



REAL TENDER™
NO MORE LIFTING HEAVY SPOOLS



Re-spool faster than ever.



Great for moving MC Cable.



Axle-less technology makes loading and unloading easy.



Real Jacks store easily on cart.

PATENTED

The iTOOLco Real Tender™ is a smarter rope tender that rolls over rough terrain on the job site. Lightweight and maneuverable, it's easy for one person to set up and transport - and it prevents rope-lifting and handling injuries. With axle-less technology, the Real Tender™ is multi-directional and can be used horizontally or vertically making it flexible on the job. The crank handle makes re-spooling significantly faster. The Real Tender™ also keeps expensive rope high and dry.

Model	Description	Specifications
RT01	Real Tender™	49"L x 23"W, 38 lb. Load capacity 300 lb.

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



REAL JACKS™

EASY AND CONVENIENT WIRE FEEDING



Closed head traps axle preventing it from falling out or traveling horizontally



Separate sides can be used safely on uneven ground

When you want a smooth and easy wire pull, iTOOLco's Real Jacks deliver every time. These axle-less jack stands have separate sides so they can be used safely on uneven ground – even for reels up to six-thousand pounds. With four twenty-thousand-pound sealed bearings, the closed head captures the axle, which means your reels won't fall out or travel horizontally.

Best of all, Real Jacks won't tip over. Ever. The top mounted hand crank allows convenient leveling that doesn't interfere with the axle, jaw, carriage, arbor positioning or spool. The adjustable handle is ergonomically designed for even balance and a pop-pin locks the arbor into place for safer operations. When your wire pull is done, simply fold and go.

iTOOLco Real Jacks. Faster, safer wire pulls.



Axle-less on steel reel with 2" arbor holes



Real Jacks Store on Real Tender

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



Model	Description	Specifications
RJ6K	Real Jacks™*	37"L x 10"W x 11-1/2" – 38-1/2"H, 35 lb. per jack Rated 6,000 lb. per set

*Accepts spool sizes from 22"–66" dia.

HAND CRANK

Is top mounted for easier lift and leveling while not interfering with the arbor positioning, axle, jaw, carriage, or spool



FOUR 20,000 LB SEALED BEARINGS

Make wire pulling smooth and easy

FOLDS DOWN COMPACT

Easy to carry and transport - can store on the iTOOLco's Real Tender™ or Rack Jack™

ADJUSTABLE HANDLE

Is ergonomically designed for even balance

T-BASE FOOTPRINT

With separate sides are safer on uneven ground preventing it from tipping over

5/8"W x 3"L BENT HITCH PIN

With integral locking tab is sturdy and rated at 10,000 lb

POP PIN

Locks in place for safer operations

Good for up to 6,000 Lb.

*Accepts spool sizes from 22" - 66" dia.

Check out these accessories for the RJ6K



Transport and store 5 sets of Real Jacks and Axles.

JACK RACK™

Smarter

- Keeps Real Jacks (RJ6K) neatly organized
- Easy transportation of 5 sets of Real Jacks and Axles

Model	Description	Specifications
JR01	Jack Rack™ for Real Jacks	41"L x 28"W x 45"H, 85 lb.



REAL AXLE™

- High chromium content
- For use with Real Jacks™

Model	Description	Specifications
AX03	5' Real Axle™	2-3/4"O.D., 89.5 lb. 6000 lb. rated
AX02	6' Real Axle™	2-3/4"O.D., 108 lb. 6000 lb. rated
AXS01	6' Real Solid Axle™	1-1/5"O.D., 44 lb. 3000 lb. rated
AX04	7' Real Big Jack Axle	3"O.D., 1.5" I.D., 126 lb. 10,000 lb. rated

COMPONENTS

JOB SITE PHOTOS





ROLL JACK 3072™

MOVING 6,500 LB. WOOD OR STEEL REELS JUST GOT EASIER



HANDLE HOLDS SMALL SPOOLS UP TO 300 LB

Arbors slide in & out to engage spool



Arbor fits reels with 1-5/8" or 2" arbor holes

OUTRIGGER BRAKES
for stable payoff



FORKLIFT POCKETS

Above and below the spool

3/4" WRENCH INCLUDED

To raise and lower spool & adjust the width of the Roll Jack 3072

HIGH CHROMIUM CONTENT AXLE

For spools above 3,000 lb

SIZED TO FIT SPOOL

Adjusts to 8" wider than your spool

TELESCOPING FOOTPRINT

- Outside Width Collapsed: 30.5"
- Outside Width Extended: 48"
- Accepts Spool Width: From 16" to 40" Wide

**Sold as shown.*

6
YEAR
LIMITED
WARRANTY



Model	Description	Specifications
ROJ3072.2	Roll Jack 3072™	63"H x 30.5"W x 44"L 440 lb., 6,500 lb. Rated
AX06	2.5" Dia. Axle (included)	38"L (Custom Available for Purchase), 6,500 lb Rated

ROLL JACK 3072™

MOVING 6,500 LB. WOOD OR STEEL REELS JUST GOT EASIER



Load & Unload Spools on the Jobs Site



Heavy Duty Casters for Quick Transport & Positioning

PATENT PENDING

iTOOLco Roll Jacks 3072 lift, transport & deliver heavy wood spools or steel compartmentalized reels with ease. The Roll Jacks turn on a dime with innovative heavy duty casters for safer control, placement & payout of conductors. Job-site loading and unloading spools of wire ranging in size from 30" to 72" in diameter is a snap utilizing the open ended design, allowing the spool to be loaded from the ground without the aid of additional heavy equipment.

The Roll Jacks raise and lower spools in seconds with only a wrench or cordless drill & socket. Keeping transportation in mind, the Roll Jacks are equipped with forklift pockets both beneath and above the spool. The innovative design also allows the handle to be utilized for lifting smaller spools & ground wire up to 300 lbs.



Easy Payoff of Reels up to 6,500 lb

REAL PALLET JACK™

PAY OFF AND TRANSPORT WIRE WITH EASE

DRILL OR HANDLE
OPERATED JACK

SPECIALIZED HEAVY DUTY
BEARINGS ALLOW EASY PAYOFF

MAX SPOOL WIDTH OF 39"
MAX SPOOL HEIGHT OF 85"

SPOOL SELF CENTERS


STORAGE PAN

ACCEPTS WOOD OR STEEL REELS

STACKABLE & COLLAPSIBLE
FOR COMPACT STORAGE

DUAL SIDED OPEN GATE DESIGN
For easy loading & unloading

TRANSPORT FRAME AVAILABLE
(Frame & Wheels Each Sold Separately)



6
YEAR
LIMITED
WARRANTY





Model	Description	Specifications
RPJ10K	Real Pallet Jack (Includes Axle & Arbors)	42"H x 48"W x 48"L (Jack Collapsed) 55-1/2"H x 48"W x 48"L (Jack extended) 280 lb.
RPJTFO1	RPJ10K Transport Frame (Sold Separately)	
BCP04	Brute Caster Pack (Sold Separately)	

REAL PALLET JACK™
PAY OFF AND TRANSPORT WIRE WITH EASE



**Dual sided loading gates
For drum side loading.**



Payoff from a trailer.



Forklift or pallet jack compatible.

PATENT PENDING

Deliver and place reels to your final installation point safely and effortlessly. iTOOLco's Real Pallet Jack are a portable, heavy-duty solution for transporting spools up to 10,000 lb.

Made with all welded steel construction, loading and unloading the Real Pallet Jack is easy. Loading from the drum side minimizes the potential of wire damage from forks. The dual sided gates enable you to load spools from either side of the jack.

Whatever their size, spools automatically center the arbor hole with the spindle—ensuring the spool is perfectly positioned for a quick, smooth payout every time. Maneuverability on the jobsite is a snap using a forklift.

Added Bonus: Real Pallet Jacks collapse and stack for easy compact storage.



Collapsible & stackable.

REAL BIG JACKS™
MOVING HEAVY SPOOLS HAS NEVER BEEN EASIER



PATENTED

iTOOLco's Real Big Jacks™ are an innovative jack stand for transporting and feeding heavy spools of wire. Real Big Jacks™ feature fork lift slots for easy lifting and movement about the site and can accommodate spools up to 10' diameter x 6' wide (standard unit) and weighing 20,000 lb. with a uniquely patented design that allows these heavy spools to spin easily, a power feeding unit is typically not needed. With the addition of the Real Big Jacks™ Expansion & Axle Kit, Real Big Jacks™ will accept spools up to 88" wide & 10' tall.

WE USED THE iTOOLco REAL BIG JACKS ON EIGHT SPOOLS — EACH WEIGHING ABOUT 8000 lb.

The jacks were easy to use and the spools moved right into place with the heavy duty casters. The wire paid off the spools with no effort. the puller actually pulled the wire off the spools! Great product for spools this size.

Gareth James
Interstates Construction

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



Lifting can be done from all four sides with forklift.




Pull from almost anywhere, including a trailer.



Reels spin freely so there is rarely a need for a wire feeder.

REAL BIG JACKS™
LOAD AND RELOAD WITHOUT A FORKLIFT



Spool Size Specifications:
On Wheels - 84"H x 58"W at 10,000 lb.
Off Wheels - 120"H x 58"W at 20,000 lb.
Expansion Kit Available (RBJA01)

Axles Available (Sold Separately):
AX04 - 10,000 lb. rated, 7'L, 3"O.D., 1.5" I.D.

Real Big Jacks™	Description	Real Big Jacks™ Accessories	Description
RBJ20K (Sold as Shown)	58"L x 44"-66"W x 69"H on wheels, 66"H off wheels 560 lb. Includes set of (2) Axle Collars (RBJ-603) 10,000 lb. weight rating with casters 20,000 lb. weight rate without casters	AX04 (Sold Separately)	Real Big Jacks™ Axle 7'L, 3" Seamless Tubing 3/4" Wall, 250 lb. 10,000 lb. rated (Uncoated)
		RBJA01 (Sold Separately as Kit Only)	Real Big Jacks™ Expansion & Axle Kit Includes 72" inner telescoping tube to extend the RBJ20K open to a 90" opening between upright carriages (Max spool width 88") Set of (2) Axle Collars 10' Solid axle 3" OD with an eye bolt for pulling the axle through the large spool, 357 lb. - 20,000 lb. rated (Uncoated)

FREEDOM CART™

KEEP VALUABLE WIRE AND MATERIALS ORGANIZED



Shelves fold up for wire cart.



Conduit and strut store easily on the lower frame.



Holds wire packs and data boxes.

PATENTED

iTOOLco's Freedom Cart™ keeps valuable wire and materials organized, visible, free of damage, ready for use, and makes for easy transporting anywhere. Constructed of top grade steel, with heavy duty wheels & durable powder coated finish, the Freedom Cart™ is built for years of flawless service. The six shelves fold up or stay down, and adjust up and down for spacing in countless configurations. In addition, there are 18 spool axles and a lower pipe rack. Perfect for roughing-in or for any phase of the job, from start to finish. The shelves hold up to 36 wire packs or data boxes. The axles carry up to 36/each of 500' wire spools, or 18/each of 2500' wires spools, and a load of pipe, strut, and threaded rod.

Model	Description	Specifications
FC100	Freedom Cart™	42"L x 29"W x 58"H, 210 lb. Load capacity 1,200 lb. total, 250 lb. per shelf

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



FLEX WIRE CART™

EASY LOAD - NO FIGHTING WITH AXLES



*Sold as shown

PATENT PENDING

iTOOLco's Flex Wire Cart™ has a unique design that allows users to carry 10 - 2500' spools of wire, 20 - 500' spools of wire or coils, & up to 8 packs of wire. The design allows for custom placement of wire bars to maximize jobsite flexibility and carrying capacity.

Model	Description	Specifications
FWC01	Flex Wire Cart™	21-1/4"L x 47-3/4"H x 29"W 77 lb. (700 lb. Load Capacity)
MCA01	Cable Mate™ Accessory (Sold Separately)	11"L x 16"H x 2-1/4"W 7 lb.



Holds up to 10 - 2500' spools.



Use with packs of wire.



Pair with iTOOLco's Cable Mate™ for quick and easy payoff.




MADE IN THE
USA
WITH GLOBAL COMPONENTS

6
YEAR
LIMITED
WARRANTY

VISUAL MATERIAL CENTER™

KEEP MATERIAL ORGANIZED



Model	Description	Specifications
VMC3000	Visual Material Center™	58"L x 29"W x 58-1/2"H
VMC617	Visual Material Center™ Wire Bar/Axle (2 Each)	56"L x 27"W
VMC605	Visual Material Center™ Shelves (2 Each)	56"L x 27"W

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



VISUAL MATERIAL CENTER™
EASILY FIND YOUR MATERIAL



Holds 500' or 2500' spools.



Holds up to (13) 2'x4' light fixtures.

PATENTED

Keep your jobsite neat and organized whether you handle your own materials or your supplier provides a Visual Material Center™. iTOOLco's Visual Material Center™ holds up to (24) 2500' spools of wire, (13) 2'x4' light fixtures or 3,000 lb. of material. With a lockable design, you can access materials from two sides of the cart and it fits through a 30" door. Four lifting eyes and top design forklift pockets make quick work of transporting the Visual Material Center™ to, from and around the jobsite.



**MADE IN THE
USA**
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY

WIRE CART XL™

HOLD MULTIPLE LARGE SPOOLS OF WIRE AT ONCE



10 ADJUSTABLE WIRE BARS
Hold spools up to 15.25" wide

OUTRIGGER BRAKES
For stable footprint during payoff or transport

PERFORATED TUBING
Makes for easy wire bar spacing customization

HEAVY DUTY CASTERS
With brakes

FORKLIFT POCKETS
For easy transport

STACK AND COLLAPSE
To maximize storage footprint

**Sold as shown*



Up to 3,000 lb. load capacity.



Capable of holding 10 - 24" DIA Spools.

PATENTED

Transport, store and pay out large spools of wire or MC cable using iTOOLco's Wire Cart XL. Designed to hold 18 spools of varying sizes, the cart is able to accept a spool 15.25" in width and a variety of diameters due to the adjustable axle attachment points. This unique design affords the user the ability to adjust the vertical and horizontal placement of the axles to match jobsite conditions and spool requirements. The Wire Cart XL can handle heavy loads up to 3,000 lb. with a maximum lower tier rating of 1200 lb., a mid tier rating of 1200 lb., and a maximum upper tier of 600 lb.



Forklift Pockets.

Model	Description	Specifications
WCXLO1	Wire Cart XL	64-1/2"H x 34"W x 57"L " (Standing) 16-1/4"H x 34"W x 57"L (Collapsed) 102 lb.

6
YEAR
LIMITED
WARRANTY



PIPE & PRE-FAB CART™
CUSTOMIZE YOUR OWN SETUP




Stackable.



Reversible forklift pockets for lifting in line or from the side.



Easy to transport loaded.



PATENTED

The Pipe & Pre-Fab Cart™ is great for all your pre-fab and material handling needs. The unique customizable design allows for ultimate flexibility to match the requirements of your job. Easily stackable, the Pipe & Pre-fab Cart™ features two top mount pockets for inline or side lifting of the loaded cart into trucks, through doors, and onto docks or upper levels.

Model	Description	Specifications
PFC3000	Pipe & Pre-Fab Cart™	57"L x 34"W x 64-1/2"H (standing) 57"L x 34"W x 16-1/4"H (collapsed), 102 lb. Load capacity 3,000 lb., 250 lb. per arm or 500 lb. per shelf

6
YEAR
 LIMITED
 WARRANTY

MADE IN THE
USA
 WITH GLOBAL
 COMPONENTS



MICRO DUCT FIBER CART™

TRANSPORT AND PAYOFF REELS WITH EASE



Hold up to 10 reels.



Jobsite ready pulls.



Out rigger brakes.

PATENT PENDING

The iTOOLco Micro Duct Fiber Cart is designed for easy delivery and payout of your microduct and fiber optic cables. The dynamic design holds up to 10 spools with a diameter of 24" and a width of 20". The cart features outriggers, designed to keep the cart in place during pulling operations and transportation. It also includes built-in fork pockets for easy delivery to the job site. The folding design allows the user to collapse and stack the carts to maximize the storage foot print when carts are not in use.

Model	Description	Specifications
MDFC10	Micro Duct Fiber Cart™	3,000 lb. Capacity. 300 lbs per wire bar.

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS





HEAVY DUTY STRUT CART™

TRANSPORT BUNDLES OF STRUT WITH EASE



FORKLIFT POCKETS FOR TRANSPORT

The Heavy Duty Strut Cart meets or exceeds the requirements listed on Publication No.: MC-P/PSV-04-001 in accordance with the *Federal Motor Carrier Safety Administration*. The multiple forklift strapping pockets can be used to forego the use of a bulkhead or headerboard when needed. Load strapping pockets for individual bundle securement also exceed the minimum requirements for transportation in accordance to the previously listed publication.

PATENT PENDING

iTOOLco's Heavy Duty Strut Cart™ is the perfect solution for storing and transporting large bundles of strut with ease. Capable of holding up to 3,700 lbs. the built-in forklift pockets allow for jobsite delivery and mobility. The Heavy Duty Strut Cart is designed with a Stable H-Design & has clearance below the load and side rails, enabling the strut to be loaded or unloaded via forklift. The stackable design also maximizes your storage footprint. Meanwhile the forklift pockets double as tie down slots - meeting the Federal Motor Carrier Safety Administration's standards for strapping loads down.

Model	Description	Specifications
HDSCO1S	Heavy Duty Strut Cart™ (Standard Casters)	48"L x 34-1/2"W x 35"H 130 lb., 2,500 lb Load Capacity
HDSCO1H	Heavy Duty Strut Cart™ (Heavy Duty Casters)	48"L x 34-1/2"W x 35"H 135 lb., 3,700 lb Load Capacity



Load & Unload Bundles with a Forklift.



Can Hold Loads Up To 3,700 Lb.



Stackable & Forkliftable Design.

6
YEAR
LIMITED
WARRANTY

MADE IN THE USA
WITH GLOBAL COMPONENTS



HEAVY DUTY PIPE CART™

TRANSPORT HEAVY BUNDLES OF CONDUIT WITH EASE



FORKLIFT POCKETS FOR TRANSPORT

The Heavy Duty Pipe Cart meets or exceeds the requirements listed on Publication No.: MC-P/PSV-04-001 in accordance with the *Federal Motor Carrier Safety Administration*. The multiple forklift strapping pockets can be used to forego the use of a bulkhead or headerboard when needed. Load strapping pockets for individual bundle securement also exceed the minimum requirements for transportation in accordance to the previously listed publication.



PATENT PENDING

iTOOLco's Heavy Duty Pipe Cart™ is designed for moving large bundles of pipe or conduit with ease. The built-in forklift pockets allow for jobsite delivery and mobility. Clearance below the load and side rails enable pipe to be loaded or unloaded via forklift. The stackable design maximizes storage footprint.

Model	Description	Specifications
HDPC01S	2,500 lb. Load Capacity Heavy Duty Pipe Cart™	48"L x 34-1/2"W x 35"H 140 lb.
HDPC01H	3,700 lb. Load Capacity Heavy Duty Pipe Cart™ with Extreme Duty Casters	48"L x 34-1/2"W x 35"H 165 lb.



Easy to load.



Up to 3,700 lb. load capacity.



Jobsite ready deliveries.



MADE IN THE USA
WITH GLOBAL COMPONENTS

6
YEAR
LIMITED WARRANTY

MC CART™

ROUGH IN AN ENTIRE SUITE USING ONE CART



Loads with ease. Simply tip forward.



Cable Mate holds one 250' coil of MC and detaches easily.

PATENTED

The MC Cart™ is a revolutionary new cable cart designed to transport up to two 1000' spools and one 250' coil of MC Cable quickly at one time (as sold). Strong yet lightweight, the MC Cart makes it possible for electricians to rough-in an entire suite using only a single cart to transport the wire required. All-welded steel construction, the MC Cart™ won't tip over and glides effortlessly around job sites on heavy-duty wheels.

With a unique front-loading carriage, the MC Cart™ eliminates the need to lift heavy spools. Loading two 1000' spools is as easy as tipping the MC Cart™ forward and rolling the spools into the axle saddle.



Sold as shown.

Model	Description	Specifications
MC300	MC Cart™	26"L x 31-1/2"W x 46"H, 67 lb. Load capacity 360 lb.
MCA01	Cable Mate™ (included)	11"L x 2-1/4"W x 16"H
MCA02	Bolt-on Wire Bar™ (included)	31"L x 4"W x 4"H, 5 lb.



Cable mate portability.

6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



CABLE MATE 2-PACK™
FEED UP TO 500' OF MC CABLE EFFORTLESSLY



*MC Cable not included

PATENT PENDING

Feed two 250' coils of MC cable effortlessly and minimize the time and effort spent on the job site set up with iTOOLco's Cable Mate 2-Pack™. Perfect for residential tenant build outs and small commercial electrical installations, the Cable Mate 2-Pack includes two detachable Cable Mates which prevent tangling. The convenient folding stand is designed for quick set up and allows the Cable Mates to rotate smoothly while feeding conductors.



Manage coils easily.



Foldable design.



Quick and easy setup.

Model	Description	Specifications
CM2P	Cable Mate 2-Pack™	19-1/2"L x 29"W x 26"H 40 lb.



MADE IN THE USA
 WITH GLOBAL COMPONENTS

6
YEAR
 LIMITED WARRANTY

GEAR PUNCH™

HOLEMAKING HAS NEVER BEEN EASIER



**ERGONOMICALLY
DESIGNED HANDLE**
For easy use

GEAR PUNCH, SS 10GA. RATED
And works with any corded or cordless drill - not recommended with impact drivers as they will strip the Gear Punch.

LIFETIME REPLACEMENT
On draw studs

**CENTER POINT KNOCKOUT
LAYOUT TOOL™**
Quickly and accurately layout and punch the knockouts

HELICAL TIAN COATED STP BITS
Drill holes in steel, sopper, stainless steel, plastic, aluminum, and more

3/8" Nut Drivers

1/2" THROUGH 6" KNOCKOUTS
Leave clean edges and won't contort panel

Model	Description
GP01	Gear Punch™ (Tool Only)
GP122	Gear Punch™ Kit 1/2" to 2" (Tool Included)
GP123	Gear Punch™ Kit 2-1/2" to 4" (Tool Not Included)
GP124	Gear Punch™ Kit 1/2" to 4" (Tool Included) (Includes GP122 & GP123)
GP126	Gear Punch™ Kit 1/2" to 6" (Tool Included) (Includes GP122, GP123 & GP156)
GP156	Gear Punch™ Kit 5" & 6" (Tool Not Included)

6
YEAR
LIMITED
WARRANTY



GEAR PUNCH™
HOLEMAKING HAS NEVER BEEN EASIER



Perfect, clean cuts every time.




Punches and dies are clearly marked.



Rated for mild and stainless steel, iTOOLco's knockout punch kit – the Gear Punch™ – allows 1/2" through 6" punches and dies to cut through an industry leading 10 gauge mild and stainless steel while maintaining the sharpness of the cutting edges. The Gear Punch™ tool will work with any make or model of corded or cordless drill, new or old drills, with no special add-ons required. The punches and dies are clearly marked with trade standard conduit sizes as well as Center Point™ marks for perfect alignment, no matter what direction you cut from. Lightweight and easy to use, the Gear Punch™ tool is compatible with other punch and die offerings and comes with a lifetime replacement on draw studs.



Gear driven with no leaky hydraulics.



Step 1:
Mark the first conduit.



Step 2:
Mark the strut line.




Step 3:
Mark the conduit combination.



Step 4:
Mark the center of the hole.


**CENTER POINT™
KNOCKOUT LAYOUT TOOL INCLUDED
IN ALL iTOOLco GEAR PUNCH KITS**

- Quickly layout and punch the knockouts
- Easy to use
- Accurate knockout layout
- No math
- 70 Times faster than a tape measure
- Any combination
- 6" Ruler for convenience
- See the video demo on our website



PATENTED

Model	Description	Specifications
CP02	Center Point™	3-1/2"W x 7-1/4"H



**DRAW STUDS
GEAR PUNCH™ ACCESSORIES**

Model	Description
DS012	7/16" x 3/4" Draw Stud
DS034	3/4" x 3/4" Draw Stud
DS118	3/4" x 1-1/8" Draw Stud



STEP BITS

3/16" - 7/8" STEP BIT

- Replaces 12 individual drill bits
- Helical flute
- Made of strong steel with Tlan coating
- Drills holes in steel, copper, stainless steel, plastic, aluminum, and other materials
- Self-starting

3/16" - 1-1/8" STEP BIT

- Replaces 16 Individual Drill Bits
- Helical flute
- Made of strong steel with Tlan coating
- Drills holes in steel, copper, stainless steel, plastic, aluminum, and other materials
- Self-starting

Model	Description	Specifications
SB78	7/8" Step Bit	Drills Hole Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
SB118	1-1/8" Step Bit	Drills Hole Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 9/16", 1", 1-1/16", 1-1/8"
SB24	Bit Box™	10"L x 3.4"W x 6.5"H

PD01.2
compatible
with DS012



PD02
compatible
with DS034



PD03
compatible
with DS034



PD04
compatible
with DS034



PD05
compatible
with DS034



PD06
compatible
with DS034



PD07
compatible
with DS118



PD08
compatible
with DS118



PD09
compatible
with DS118




PD10
compatible
with DS118



PD11
compatible
with DS118



PD12
compatible
with DS118



PUNCH AND DIE SETS

- Powers through 10 gauge stainless steel, mild steel, and aluminum with ease
- Cleaner, easier cut for 1/2" thru 6" dies
- Slugs pop out in a second
- 3-point cutting
- Quicker, smoother cut
- No rough edges
- Prevents panel distortion
- Works with the iTOLCo Gear Punch™ and other popular knockout tools
- 1/2" – 2" sizes come with the iTOLCo Center Point™ Knockout Layout tool

Model	Description	Specifications
PD01.2C	1/2" Punch and Die with Center Point Tool	1/2" dia.
PD02C	3/4" Punch and Die with Center Point Tool	3/4" dia.
PD03C	1" Punch and Die with Center Point Tool	1" dia.
PD04C	1-1/4" Punch and Die with Center Point Tool	1-1/4" dia.
PD05C	1-1/2" Punch and Die with Center Point Tool	1-1/2" dia.
PD06C	2" Punch and Die with Center Point Tool	2" dia.
PD07	2-1/2" Punch and Die	2-1/2" dia.
PD08	3" Punch and Die	3" dia.
PD09	3-1/2" Punch and Die	3-1/2" dia.
PD10	4" Punch and Die	4" dia.
PD11	5" Punch and Die	5" dia.
PD12	6" Punch and Die	6" dia.
PD13	30.5mm Punch and Die	30.5mm dia.

MADE IN THE
USA
WITH GLOBAL
COMPONENTS

6
YEAR
LIMITED
WARRANTY



25 lb. weight capacity.



Mounts to iTOOLco carts.



Increase productivity.

TOOL CRANE™
MAKE YOUR HAND TOOLS WEIGHTLESS



PIVOTING ARM EXTENSION
Allows for precise positioning of tool

CARRYING HANDLE
For jobsite mobility

GAS SHOCK ASSIST
Makes your tools lightweight

TOOL HANGING MOUNT
Fits a wide variety of tools

360°
Rotation

FITS 2" x 2" SQUARE TUBING
For universal mounting applications

VERTICAL EXTENSION UP TO 33"
HORIZONTAL EXTENSION UP TO 69"

iTOOLco's Tool Crane™ is an ergonomic tool handling solution that increases both productivity and employee safety. It operates in tight spaces to position heavy tools, with no fatigue to worker. The Tool Crane™ is built for versatility and features 360° motion, multiple mounting options, and countless reach possibilities.

WE HAD OVER A THOUSAND TERMINATIONS TO DO AT A DATA CENTER.

The Tool Crane was the perfect tool for the job. I usually dread that part of the job because the tools are so heavy and hard to maneuver. We terminated the entire job in about half the time!

Will Humbard
President of HEI



*Includes Tool Crane™ Mounting Kit and Hardware for PNL Mount (TB-620)


6
YEAR
LIMITED
WARRANTY

MADE IN THE USA
WITH GLOBAL COMPONENTS




Model	Description	Specifications
TC2515	Tool Crane™	69-1/2"L x 7"W x 40"H (extended) 18"L x 7"W x 40"H (collapsed) 37 lb.
TB-620	Tool Crane™ Panel Mount Kit (included)	2"W x 25"L Perforated Tubing 7 lb.

SPOOL RACK BEARING SYSTEM™
70% REDUCTION IN COEFFICIENT OF FRICTION



MAX SPOOL DIAMETER BACK TO BACK CHART

If only two of three spool pockets are utilized.	If all three spool pockets are utilized.
RB42: Two 33" Spools RB48: Two 39" Spools RB60: Two 50" Spools	RB42: 33" Spools RB48: 39" Spools RB60: 50" Spools



AXLE COLLARS
 Keep spools centered




Spool Rack Bearing System	Arbors	Axles	Collars
RB42 Pair of 42" Spool Rack Bearing™ Carriages 42"L x 10"H x 5-3/4"W, 86 lb.	RB01 Pair of Solid Arbor Bearings for Hollow Axle 2.75" OD	RBAX42 Standard 42" Rack Bearing Axle 2.75" OD, 6,000 lb. rated	RBAXCO1 Collar for Standard Rack Bearing Axle 2.75" OD, 6,000 lb. rated
RB48 Pair of 48" Spool Rack Bearing™ Carriages 48"L x 10"H x 5-3/4"W, 104 lb.	RB02 Pair of Tube Arbor Bearings for Solid Axle 1.5" OD	RBAX48 Standard 48" Rack Bearing Axle 2.75" OD, 6,000 lb. rated	RBAXCO2 Collar for Solid Rack Bearing Axle 1.5" OD, 3,000 lb. rated
RB60 Pair of 60" Spool Rack Bearing™ Carriages 60"L x 10"H x 5-3/4"W, 120 lb.		RBAX60 Standard 60" Rack Bearing Axle 2.75" OD, 6,000 lb. rated	
		RBAXS42 Solid 42" Rack Bearing Axle 1.5" OD, 3,000 lb. rated	
		RBAXS48 Solid 48" Rack Bearing Axle 1.5" OD, 3,000 lb. rated	
		RBAXS60 Solid 60" Rack Bearing Axle 1.5" OD, 3,000 lb. rated	
		RBAXCUSTO1 Custom Cut Axle 2.75" OD	
		RBAXCUSTO2 Custom Cut Axle 1.5" OD	


*Check Rack Manufacturer Specs for Weight Capacity

SPOOL RACK BEARING SYSTEM™


IF YOUR SYSTEM DOESN'T HAVE BEARINGS YOU'RE LOSING 75% IN LABOR



Bearings let spools ride easy.



Heavy duty 7,000 lb. rating.



Maximize storage footprint.

PATENT PENDING

Spin multiple heavy spools simultaneously – and with minimal effort – using iTOOLco's Spool Rack Bearing System™. Load all four conductors at once when paralleling or loading spools. The extreme duty bearings deliver an effortless payout, reducing wasted man hours by up to 75%.

The heavy duty rack bearing carriages come in three different sizes and are designed to integrate conveniently with your existing rack system. Carriages sold in 42", 48", and 60" depths. The 3 axle pockets allow ultimate flexibility are designed to fit most wire room configurations, maximizing warehouse space.

***Custom sizes available. For all Rack Bearing Requests please reach out to insidesales@itoolco.com. It is required to fill out the proper dimensional paperwork so that we can quote you the correct system for your setup.**


6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



SPOOL PICKING BOOM™

TRANSPORT HEAVY SPOOLS OF WIRE
SAFELY WITHOUT EVER TOUCHING THE WIRE



6
YEAR
LIMITED
WARRANTY

MADE IN THE
USA
WITH GLOBAL
COMPONENTS



Model	Description	Specifications
SB01	Spool Picking Boom™	48"L x 33.5"W x 38"H (Collapsed) 48"L x 53"W x 68"H (Extended) 200 lb. (7,000 lb. Load Capacity)
SB02	Tight Fit Spool Picking Boom™	48"L x 33.5"W x 28.5"H (Collapsed) 48"L x 53"W x 36.5"H (Extended) 190 lb. (7,000 lb. Load Capacity)

*Check forklift manufacturer specs for weight capacities.

SPOOL PICKING BOOM™
TRANSPORT HEAVY SPOOLS OF WIRE
SAFELY WITHOUT EVER TOUCHING THE WIRE



Spool axle nests safely in hook during transport.



Adjustable width & length to accommodate a wide variety of spools.

PATENT PENDING

Safely haul heavy spools of conductors without ever coming into contact with the wire. iTOOLco's Spool Picking Boom™ carries bulky spools and enables you to pick and place wire spools quickly and prevents damage to expensive wire inventory.

Designed to minimize risk of injuries that can occur when attempting to stock or un-stock wire spools, the Spool Picking Boom features two jumbo picking hooks that lift the wire from the axle. With adjustable reach, these dual picking points on both sides of the spool mean you can pick and place spools at nesting positions up to 60" deep in the rack. Heavier loads are easily handled by moving the hooks closer to the forklift to leverage stability.



Load hanging center can be moved for heavy loads.

GROUND ROD DAWG™

NEVER DRIVE GROUND RODS FROM A LADDER AGAIN



PATENTED

Safely drive 1/2", 5/8", and 3/4" rods from the ground in under a minute with iTOOLco's Ground Rod Dawg™. Once the rod is driven down far enough, the tool will hammer from top to finish driving rod under grade levels from ground.

WE HAD A LARGE DATA CENTER THAT REQUIRED GROUND RODS TO BE DRIVEN ALL AROUND THE BUILDING.

The iTOOLco Ground Rod Dawg was a real time saver and provided safety we never knew existed. We used to drag a ladder around and drive rods from the top. Not anymore! Thanks for another fantastic tool iTOOLco.

Gordon Gebman
Foreman
Omega Electric

Model	Description	Specifications
GRD01	Ground Rod Dawg™	5"L x 2-3/4"W x 11-3/4"H, 4 lb.



MADE IN THE
USA
WITH GLOBAL
COMPONENTS

LIFETIME
Warranty



Safely drive rods from ground.



Tool locks into hammer drill.



Fits 1/2", 5/8" and 3/4".

GROUND ROD DAWG XL™
DRIVE LARGE ROD FROM GROUND LEVEL



1-1/8" HEX SHANK
Bit type for demo hammer

HEAVY DUTY STEEL CONSTRUCTION
Allows for heavy hits to drive in rod

TWO VERSIONS AVAILABLE
One for up to 3/4" & 1" rod

END RECEIVER
Drives rod under grade

**Sold as shown*

PATENTED

With two models available, safely drive three quarter or one inch rods from ground level with iTOOLco's Ground Rod Dawg XL's. The Ground Rod Dawg XL eliminates the need for climbing up ladders and using sledge hammers to drive large ground rods under grade. Simply plug the Ground Rod Dawg XL into your hex shank jack hammer. Then insert the bottom of the rod into the Ground Rod Dawg XL and go. The unique design allows the Ground rod Dawg XL to bite down onto the rod, allowing the user to drive it in with ease. Once the rod is driven in far enough, use the end receiver on the top of the rod to finish driving it to the final grade level.



No ladder needed to drive rod.



End receiver drives top of rod below grade.



Fits in 1-1/8" hex shank jack hammer.

Model	Description	Specifications
GRDXL34	Ground Rod Dawg XL™ (Up to 3/4")	4"H x 9-1/2"W x 23"L 18 lb.
GRDXL01	Ground Rod Dawg XL™ (Up to 1")	4"H x 9-1/2"W x 23"L 18 lb.



LIFETIME
Warranty



GRDXL



GRDO1



SDO1

STRUT DRIVER™

DRIVE STRUT UNDER GRADE FROM GROUND LEVEL



**Sold as shown*

PATENT PENDING

Safely drive your strut from ground level with iTOOLco's Strut Driver. The Strut Driver eliminates the need for climbing up ladders and using sledge hammers to drive strut into the ground. With both feet planted on the ground, plug the Strut Driver into your SDS MAX hammer drill. Then ensure the hammer drill is in hammer mode and drive it home. The unique engagement teeth allow users to drive strut sizes ranging from 1/2" to 1-5/8" from the side. Simply insert the engagement teeth into the strut, then drive. Once the strut is driven in far enough, move to the top of the strut to finish driving it to the final grade level. Note: The end receiver is designed to accept 1-5/8" size strut & up to 3/4" size rod. You can use the engagement teeth to sink other sizes below grade.

***Electrical products & Solutions Top Products 2022 award winner.**

Model	Description	Specifications
SD01	Strut Driver™	4"H x 9-1/2"W x 23"L "



LIFETIME Warranty



Engagement teeth to drive strut from the side.



End receiver accepts 1-5/8" strut.



End receiver for driving from the top.

ALL JACK™

LIFT AND HOLD YOUR WORKPIECE IN PLACE



Holds workpiece in place at various angles.




One handed gas shock operation.



PATENT PENDING

Increase productivity and decrease fatigue using iTOOLco's All Jack™. Install pipe, lights, cabinets, drywall, temporary dust barriers and much more with this innovative jack designed to lift and support the weight of your workpiece while you anchor it into position.

High ceilings and ladder work are not a problem for this dynamic tool. Reach from 58" to a staggering height of 10'7". The industrial gas shock ensures a snug, stable support that stays in place while you complete the installation. Once your workpiece is secured into place, simply remove the All Jack™ by releasing the shock. More powerful than a typical support pole, the All Jack's gas shock can handle your most challenging jobs.




Perfect for overhead & lift work.

ALL JACK ACCESSORY KIT AVAILABLE (AJAK01)




AJAK01 INCLUDES



AJA01
Drywall Attachment



AJA02
Pip/Stud Holder Attachment



AJA03
Adjustable Fence Attachment



ALL JACK™


LIFT AND HOLD YOUR WORKPIECE IN PLACE



GAS SHOCK ENGAGEMENT LEVER
For quick one handed lift operation




VERSATILE HEAD WITH BUILT IN JACK SCREW,
Pre-drilled holes for field customization & a built in V-groove to capture pipe



LOCKING POINTS FOR ADJUSTMENTS
When locked can be used as a jack screw to support 175 lbs. Move when locked to end of stamement.


47" EXTRA EXTENSION STORES ON CART

EXTENSION HOLDER
Is also universal mounting bracket for mounting to ladders or lifts



SUPPORT RODS FOR DOME FIXTURES

QUICKLY ADJUST TO MEET YOUR ANGLE



ANTI SLIP PADDING
With anchoring holes in base

6
YEAR
LIMITED
WARRANTY



Model
AJ01

Description
All Jack™


Specifications

58"H x 6"W x 8"L (Collapsed)
10'7"H x 6"W x 8"L (Extended)
25 lb. (175 lb. Load Capacity)



TOOL MANAGEMENT SYSTEM™

KEEP LIFTS AND SCAFFOLDING ORGANIZED



**Sold as shown*


What Size for Your Lift?

TMSL1	TMSL3
MIN WIDTH: 28.5"	MIN WIDTH: 22"
MAX WIDTH: 45"	MAX WIDTH: 30"



Model	Description	Specifications
TMSL1	Tool Management System (Lift 1 Model)	27.79" L x 14.33"W x 2.15"H
TMSL3	Tool Management System (Lift 1 Model for smaller lifts) Fits Lifts 24" to 32"	21.79"L x 14"W x 2.15"H

TOOL MANAGEMENT SYSTEM™
KEEP LIFTS AND SCAFFOLDING ORGANIZED




Keep tools and materials ready to use.



Hanging bin compatibility.

PATENT PENDING

Now iTOOLco provides a simple solution to keep the standing platform clear of material and tools while working in lifts and on scaffolds. The iTOOLco Tool Management System keeps your tools and material at an easily accessible working level, decreasing the potential for injuries, while increasing productivity. The Tool Management System keeps material and tools neatly nested in their next ready to use position. It provides a long awaited workbench for pre-assembling hardware before installation. Due to its telescoping design, the system fits a wide range of lifts and scaffolds, making it perfect for any jobsite.



Expandable design fits multiple sized lifts and scaffolding.



SP-130

SP-190

FOOT SWITCH

Model	Description
SP-130	20 Amp Foot Switch for Cannon 6K
SP-190	20 Amp Foot Switch for Cannon 12K and Cannon 10K
SP-156	Replacement Cord for SP-130
SP-268	Male 20 Amp Replacement Cord for SP-190
SP-269	Female 20 Amp Replacement Cord for SP-190

REPLACEMENT FLASHLIGHT



Model	Description
SP-121	Replacement Flashlight



SP-151

SP-123

HANDLES

Model	Description
SP-151	Real Jack Replacement Handle
SP-123	3" Adjustable Handle





C10K-617



C10K-608



C10K-618

CANNON 10K PULLER KNUCKLES

Model	Description
C10K-617	Main Knuckle with Adjustable Coupling
C10K-608	Front Knuckle with Adjustable Coupling 2.0
C10K-618	Front Knuckle with Adjustable Coupling



WIRE PULLER EXTENSIONS

Model	Description
C10K-404	15" Inner Extension
C10K-405	30" Inner Extension
C10K-406	33" Outer Extension



WIRE PULLER UNIVERSAL ADAPTER

Model	Description
CK-10	Universal Adapter



12K & 10K RECEIVER HITCH & BOLT DOWN ADAPTER

Model	Description
C10K-422	3" Receiver Hitch Adapter with Hitch Pin



HITCH PINS

Model	Description
SP-182	5-1/2" Hitch Pin with Flashlight Holder & Locking Tab
SP-185	3" Bent Hitch Pin



FORCE GAUGE

Model	Description
FG10	Force Gauge for Use with Cannon 10K
FG12	Force Gauge for Use with Cannon 12K



CONDUIT ADAPTERS


Model	Description
CK-50	5" Conduit Adapter
CK-60	6" Conduit Adapter



FOOT SWITCH HOLDER

FITS ALL ITOOLCO PULLERS

Model	Description
CK-612	Foot Switch Holder





THE LATEST.

iTOOLco is a unique research and development company that has led the electrical tool industry with their groundbreaking designs since 2001. iTOOLco's inventors & Co-Founders David & Michael Jordan have developed and patented countless innovative products, pushing the envelope of what can be done to improve the lives of electricians and distribution partners alike. iTOOLco has been awarded prestigious accolades, including numerous NECA Showstopper Awards, for its groundbreaking work in the electrical field. Based in Clinton, TN, iTOOLco is dedicated to creating the highest quality American made products, backed by an industry leading 6 year warranty. With real world experience as electrical contractors, brothers David and Michael Jordan have a deep understanding of the kind of quality, time-saving tools electricians depend on for doing the job right. Over the years iTOOLco has revolutionized the wire pulling market with the introduction of the first ever 12,000 lb. puller - the Cannon 12K, with built in reverse. As well as their Cordless Cannon 3K & 6K (the first on the market of each, respectively). Capable of reaching areas where power may not be available, these pullers allow users to achieve the same amount of power, without worrying where it will come from. Also known for their Gear Punch which includes lifetime replacement on draw studs, Tray Rollers, numerous Material Handling solutions, etc. iTOOLco ensures that no matter the job, there is a solution.



With the launch of their latest innovation - The MVP20K; Speed, versatility, and performance are all designed into a unit unlike anything on the market today. Capable of pulling up to 20,000 lbs. The MVP20K allows users to set a maximum load limit and pulling speed, preventing damage to the wire or conduit. The unit attaches to any high flow skid steer and allows the user to control the booms from inside of the cab. With a dual capstan design featured across all of our pulling platforms, the MVP20K is able to offer you two pullers in one. A large capstan offers higher speeds, pulling up to 65' per minute for lighter loads. The smaller capstan is able to take on higher torque for your heavy loads, while still reaching speeds that far outpace the competition. This dual capstan design allows users to reach the full potential of their puller - without compromising the strength of the puller long term. With its versatile and intuitive design, the MVP20K allows for larger pulls without the need of trailer mounted equipment. Letting users get into harder to reach areas and pull more efficiently than previously possible. The included T-Base has built in hooking points for pulley setups, and an available X-Base makes vault setups a breeze. Engineered with end users in mind - this puller has been designed to simplify heavier pulls. The MVP20K also tackles the challenge of storage space, fully collapsible and capable of fitting on a pallet, this unit ensures you don't lose a large amount of floor space in the small amounts of time it is waiting for the next job.

Creating a Faster Safer Workspace has been a main goal of iTOOLco since the beginning. With the use of the MVP20K – customers have been able to expedite their pulling schedule, finishing wire pulls weeks ahead of schedule. Allowing the customers to meet deadlines in advance during a time where everything seems to be delayed. With constant delays in the production landscape over the last few years – the iTOOLco production team has gone above and beyond to keep up with increasing demand during a time where lead times seem to only grow longer. Owners and Co-Founders David & Michael Jordan credit this to making their products in America. "Being able to walk out into the shop every day and lay eyes on the product and have my thumb on what is going on is critical," said David. David and Michael take great pride in building their team – with the belief a good team is the core of the company. By creating a demo style that changed the way live demos were approached – the iTOOLco sales team creates an interactive experience for its customers. "We have the best sales team in the industry, hands down." Says Michael – who has spent countless hours in the field himself ensuring the team has the best person to person training to meet customer needs. With a fully equipped demo trailer, the team travels the country from state to state – providing an in-depth product break down and training wherever they are needed. Wanting to make sure all aspects of customer care are taken to the highest level, iTOOLco has been determined since day one to provide a different experience for its customers. Coming in from the start with an industry leading 6-year warranty, and a service team that not only is responsive – but truly understands that there is a person at the other end of the call. With a regular turnaround time of within a week, from shipment of your item to the warehouse and back to you. The service team is determined to get your product back to you as soon as possible. "We understand things happen, and we will do our best to fix the issue and get your tool back to you as fast as possible" said Maria Jordan – head of customer care. "Service to our customers has always been held to a higher standard and that won't stop anytime soon." With the launch of their latest website, submitting a request for quote has never been easier. "With our new "add to quote" feature – customers can build their package and get a quote the same day, usually within an hour. Our inside sales team will also provide them with their closest distributor and connect them. As well as answer any questions they have about the products they are interested in" said Calvin Jordan – Director of Marketing. "Connecting with our customer base is crucial to our success, and we want to make the process as easy as we can for them. The new site allows customers to easily take 360 spins of the products, access cut sheets, product videos, and much more.

If you are interested in keeping up with iTOOLco, follow us on our socials @itoolco on any platform, there we keep you updated on our latest innovations. You can also keep up by going to the bottom of our website and signing up for our newsletter.

Want to find out more or schedule a live demo? Visit us online www.iTOOLco.com or call TEN on 07 2312 8999.



sales@tengroup.com.au • 07 3212 8999

iTOOLco

**Nobody said it
would be easy.
UNTIL NOW.**



***ITool*co.**

TEN

sales@tengroup.com.au • 07 3212 8999

Innovative Tools For Professional Electricians & Contractors



***ITool*co.**

TEN