Revision Date: April 26, 2022 Revision Number: 2

SAFETY DATA SHEET

1. Identification of the substance/mixture and of the company

1.1 Product identifier

Product Name: Type RP™ Rapid Power Electrical Cleaning Wipe

Product ID numbers: RP-1, RP-1L

RP-XXX (Where XXX is the package code.)

1.2 Relevant identified uses of the mixture and uses advised against

Identified uses: Utility Cleaner/Degreaser

List of advices against: Not applicable.

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer:

American Polywater Corporation The Energy Network Pty LTD (Ten Group)

11222 - 60th Street North 65 Wentworth Place,

Stillwater, MN 55082 USA Banyo, Queensland 4014, Australia

Tel: 1-651-430-2270 (07) 3212 8999

Email: sds@polywater.com Email: sales@tengroup.com.au

1.4 Emergency telephone numbers

INFOTRAC: 1-800-535-5053 (USA) 1-352-323-3500 (INT'L)

Poisons Information Centre 131 126

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]. Classified as hazardous according to the criteria of New Zealand HSNO and Australian WHS Regulations.

Flam Liq 2 H225 Skin Irrit. 2 H315 STOT SE 3 H336 Aqua Chron 2 H411

2.2 Label elements

Contains: 2-methylpentane, Low boiling point naphtha, 1-methoxypropan-2-ol



GHS07



Pictograms:

Signal word:

GHS02 Danger

SHS07

GHS09

Hazard Statements:

H225 Extremely flammable liquid and vapor

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements:

P210 Keep away from sparks, flames and hot surfaces. No smoking.

P261 Avoid breathing vapor.

P264 Wash hands thoroughly after handling.

P271 Use in a well-ventilated area.
P273 Avoid release to the environment

P280 Wear protective gloves.

P303 + P361 + IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.

P353

P332 + P313 If skin irritation occurs: get medical attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

P304 + P340 for breathing.

P312 Call a doctor if you feel unwell.

P370 + P378 In case of fire: Use water fog, foam, dry chemical or carbon dioxide for extinction.

P391 Collect spillage

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local and national regulations.

Notes: Aspiration classification not applied due to the physical form of the product.

2.3 Other hazards: No information available.

3. Composition/Information on Ingredients

Component	Product identifier	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-methylpentane	(CAS-No) 107-83-5	40 - 60%	Flam Liq 2, H225 Skin Irr 2, H315 Repro 2, H361 STOT SE 3, H336 STOT RE 2, H373 Asp 1, H304
Low boiling point naphtha	(CAS-No) 64742-89-8	40 - 60%	Flam Liq 2, H225 Acute Tox 4 (Inh), H302 Skin Irrit 2, H315 Eye Irrit H320 STOT SE 3, H336 Asp 1, H304 Aquatic Chronic 4, H411
1-methoxypropan-2-ol	(CAS-No) 107-98-2	<10%	Flam Liq 3, H226 STOT SE 3, H336

4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: If eye irritation from exposure to vapors develops, move to fresh air. Flush eyes

with clean water. If irritation persists, seek medical attention. For direct eye contact, flush with large quantity of water for 15 minutes. Seek medical attention.

Skin Contact: Remove contaminated clothing; flush skin thoroughly with water. If irritation

occurs, seek medical attention.

Inhalation (Breathing): If irritation of nose or throat develops, move to fresh air. If irritation persists, seek

medical attention. If breathing is difficult, provide oxygen. If not breathing, give

artificial respiration. Seek immediate medical attention.

Ingestion (Swallowing): Do not induce vomiting or give anything by mouth unless directed to do so by

medical personnel. Get medical attention if symptoms appear.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 for more information.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

5. Firefighting Measures

5.1 Extinguishing media:

Carbon dioxide, water fog, dry chemical or foam.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition and by-products:

Burning generates carbon monoxide, carbon dioxide.

5.3 Advice for firefighters

Wear appropriate, protective clothing, including self-contained, positive pressure or pressure-demand breathing apparatus. Sealed container can build up pressure when exposed to high heat. Use water spray to cool fire exposed containers.

5.4 Hazchem code

None allocated.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. For a spill in a confined space, provide mechanical ventilation to disperse or exhaust vapors. For emergency responders: use respiratory protection: half-face or full-face respirator with filter(s) for organic vapor for spills in a confined space. Chemical goggles are recommended if splashes or contact with eyes is possible. For small spills: normal antistatic work clothes are usually adequate.

6.2 Environmental precautions:

Avoid release to the environment.

6.3 Methods materials for containment and cleaning up:

Collect towel and absorb any excess material with sand or absorbents.

6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing vapors or spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use only outdoors or in a well-ventilated area. For industrial or professional use only.

7.2 Conditions for safe storage, including incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store away from acids and oxidizing agents.

7.3 Specific end uses

See technical data sheet on this product for further information.

8. Exposure Controls / Personal Protection

8.1 Control parameters

Exposure limits and recommendations:

2-Methylpentane (107-83-5)

Long-term exposure limit – Short-term exposure limit –

 Country/Source
 8 hr. TWA
 15 min

 USA, ACGIH TWA*
 500 ppm
 1000 ppm

 USA, OSHA PEL
 500 ppm
 1000 ppm

USA, NIOSH 100 ppm / 1800 mg/m³ -

Low boiling point naphtha (64742-89-8)

No information available

1-Methoxypropane-2-ol (107-98-2)

WKS-15 (New Zealand

 Workplace Standards)
 100 ppm/369 mg/m³
 150 ppm/553 mg/m³

 SWA (Australia)
 100 ppm/369 mg/m³
 150 ppm/553 mg/m³

USA, ACGIH TWA* 50 ppm 100 ppm

8.2 Exposure controls

Respiratory protection:

Normal ventilation is adequate. If exposure exceeds recommended limits, respirator protection is recommended. Use a respirator or gas mask with cartridges for organic vapors (NIOSH-approved) or use supplied air equipment.

Protective gloves:

For repeated or prolonged skin contact, the use of impermeable gloves is recommended to prevent drying and possible irritation.

Suggested Material: Nitrile Rubber

For short term contact (<15 minutes), splashes use 0.2 mm. For full contact use

Suggested Thickness: 0.4 mm

Exact break-through time has not been determined. Guidance is based on similar chemistry/material. Maximum wearing time should be determined based on 50 % of the penetration time determined by EN 374 part III.

Eye protection:

Safety glasses recommended.

Other protective equipment:

It is suggested that a source of clean water be available in work area for flushing eyes and skin. Impervious clothing should be worn as needed.

Personal protective equipment symbol(s):





9. Physical and Chemical

9.1 Information of basic physical and chemical properties

Appearance: Clear, colorless liquid; mild odor.

Odor threshold:

pH:

Does not apply

Freezing point:

Not available

Boiling point: $144^{\circ}F / 62^{\circ}C$ (initial) **Flash point:** $19^{\circ}F / -7^{\circ}C$ (TCC) **Evaporation rate:** >2 (n-butyl acetate = 1)

^{*} Manitoba, Newfoundland and Labrador, Nova Scotia, and Prince Edward Island are all based on the current ACGIH TLVs. British Columbia is based on current ACGIH TLV unless otherwise noted. New Brunswick is based on an older version ACGIH. Nunavet and Northwest Territories are based heavily on current ACGIH TLVs.

Flammability (solid, gas): Not applicable to liquids

Flammability limits: LEL: 1.2%

Vapor pressure: Not available

Vapor density (Air = 1): >1(Air = 1)

Specific gravity ($H_2O = 1$): 0.72

Solubility in water: Not available

Coefficient of Water/Oil

Distribution:Not availableAuto-ignition temperature:Not availableDecomposition temperature:Not availableViscosity:Not available

9.2 Other Information

Volatiles (Weight %): 100% VOC Content: 720 g/l

10. Stability and Reactivity

10.1 Reactivity:

See remaining headings in Section 10.

10.2 Chemical stability:

Stable

10.3 Possibility of hazardous reactions:

None known.

10.4 Conditions to avoid:

Avoid heat, flame, and sparks.

10.5 Incompatible materials:

Strong oxidizing agents.

10.6 Hazardous decomposition products:

Carbon dioxide, carbon monoxide.

11. Toxicological Information

11.1 Information on toxicological effects:

Acute toxicity

Eve contact:

Direct eye contact may cause eye irritation. This irritation is minimal and expected to be transient.

Skin contact:

Prolonged or repeated skin exposure can remove oils, causing redness, drying and cracking. Persons with pre-existing skin disorders may be more susceptible to skin irritation from this material.

Irritation and Sensitization Potential:

Product may be irritating to skin and eyes. It is not a sensitizer.

Inhalation (Breathing):

Concentrated solvent vapors may cause irritation of the nose and throat. Prolonged exposure to excessively high vapor concentrations can result in central nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue).

Ingestion:

Ingestion of large quantities may cause irritation of the digestive tract, nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue).

Toxicity to Animals:

2-methylpentane No Data Available

Low boiling point naphtha LD₅₀ (oral rat) >5,000 mg/kg

LD₅₀ (dermal rabbit) >2,000 mg/kg

Rabbit 4 hr. exposure: Irritating to skin, irritating to eyes

1-methoxypropan-2-ol LD₅₀ (oral rat) 6,100 mg/kg

LD₅₀ (dermal rabbit) 13,000 mg/kg

 LC_{50} (inhl rat) >6 mg/l

Chronic Exposure:

Reproductive Toxicity: No data available.

Mutagenicity: No data available

Teratogenicity: No data available

Specific Target Organ

Toxicity (STOT) No end point data.

Toxicologically Synergistic

Products: Not available.

Carcinogenic Status:

IARC No components of this product present at levels greater than or equal to 0.1%

is identified as a carcinogen or potential carcinogen by IARC.

OSHA No components of this product present at levels greater than or equal to 0.1%

is identified as a carcinogen or potential carcinogen by OSHA.

NTP No components of this product present at levels greater than or equal to 0.1%

is identified as a known or anticipated carcinogen by NTP.

12. Ecological Information

12.1 Ecotoxicity:

Aquatic Toxicity: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

2-methylpentane No Data Available

Low boiling point naphtha 96 h LC₅₀ Oncorhynchus mykiss (Rainbow Trout) 8.2 mg/l

48 h EC₅₀ Daphnia magna (water flea) 4.5 mg/l

96 h EC₅₀ Pseudokirchneriella subcapitata (green algae) 3.7 mg/l

1-methoxypropan-2-ol 96 h LC₅₀ Pimephales promelas (Fathead Minnow) 20,800 mg/l

48 h LC₅₀ Daphnia magna (water flea) 23,300 mg/l

7 d EC₅₀ Pseudokirchneriella subcapitata (green algae) > 1000 mg/l

12.2 Persistence and degradability: Expected to be biodegradable

Low boiling point naphtha 77% biodegradable, 28 d exposure time, method: OECD 301E 1-methoxypropan-2-ol 96% biodegradable, 28 d exposure time, method: OECD 301E

12.3 Bioaccumulation potential:No information available
No information available

12.5 Results of PBT and vPvB

This product is not, nor does it contain a substance that is a PBT or

Assessment: v

vPvB.

12.6 Other adverse effects: None known.

13. Disposal Considerations

Dispose of product in accordance with National and Local Regulations.

14. Transport Information

US DOT Domestic Ground

Transportation: Not Regulated (See Special Provision 47).

UN Number: 3175

Solids Containing Flammable Liquid, N.O.S., (Contains: 2-methylpentane,

UN Proper shipping name: Low boiling point naphtha)

Transport hazard class(es): Class 4.1

Packing group:

Environmental hazards: None known Special precautions: None known

ICAO/IATA-DGR: Not Regulated (See Special Provision A46)
IMDG: Not Regulated (See Special Provision 216)

Hazchem code: None allocated

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. NZ-Regulations

All chemical substances in this product are listed in the New Zealand Inventory of Chemicals (NZIoC) or are exempt

This substance is to be managed using the conditions specified in an applicable Group Standard **HSR Number**

HSR002528 Flammable Cleaning Products Group Standard

15.1.2. EU-regulations

- Contains no REACH substances with Annex XVII restrictions
- · Contains no substance on the REACH candidate list
- · Contains no REACH Annex XIV substances
- Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND
 OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.
- Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council
 of 20 June 2019 on persistent organic pollutants

15.1.3. Australian-regulations

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Safework Australia criteria is based on the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals.

All components are listed on the AICS.

Product is classified as hazardous according to criteria of NOHSC Australia.

15.1.4. International-regulations

All chemical substances in this product are listed as "Active" in the US EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule"). as of Feb. 2019 or are otherwise exempt.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for the mixture by the supplier.

Hazardous according to criteria of NOHSC Australia.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for the mixture by the supplier

16. Other Information

Abbreviations and acronyms:

OSHA = Occupational Safety and Health Administration CLP = Classification, Labeling and Packaging Regulation

STOT = Specific Target Organ Toxicity

LD₅₀ = Median Lethal Dose DNEL = Derived No Effect Level

ACGIH = American Conference of Governmental Industrial Hygienists

TSCA = Toxic Substances Control Act (USA)

DSL = Domestic Substances List (Canada)

AICS = Australian Inventory of Chemical Substances

Revision Date: April 26, 2022

Revision Number: 2

Supersedes: April 20, 2021

Other: New Zealand, Australia

Indication of Changes: No changes.

Written in accordance with the provisions of OSHA 1910.1200 App D (2012) and Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 including New Zealand and Australia specific information. (GHS format)

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.