

# HAND TOOLS MAIN CONTENTS



# **HAND TOOLS - TABLE OF CONTENTS**

Ratchet Wrenches and Podgers	H4
4 Way Ratchet Wrench - NGK	H4
2 Way IPC Ratchet Wrench	H4
2 Way Ratchet Podgers	
Single Ratchet Podger	
Hand Ratchet Cutters - ACSR - Steel - Cu - Al	H5
ACSR - Steel - Guy Cable Cutters	
Copper - Aluminium Cable Cutters	
Ratcheting Cable Cutter - Reliable	
Battery Ratchet Cutters - ACSR - Steel - Cu - Al	
55mm Ratchet Cutter, ACSR/AL/CU - Klauke	
50 & 65mm Ratchet style Cutters - AL/CU	H6
Cable & Side Cutters	H7
Cable Cutter - AL/CU - Klein	H7
Cable Cutter - AL/CU - Klein	H7
Parrot Beak Cable Cutter AL/CU	
1000V Side Cutters	H7
Pliers	H7
Universal Cutting Pliers	
Universal Cutting Plier - 1000V	
Long Nose Pliers - 1000V	H7
Bolt cutters - Power Pivot	H7
Bolt Cutters - Crescent	H7
Various Line-worker Tools	H8
Adjustable Wrenches - Shifter	H8
Line Tap Spanners	
Hand Crimping Tools for tubular lugs	
Hand Crimping Tools for tubular lugs	
Hand Ratchet Crimper - 14mm OD	
Ruler - 1 m 4-Fold	
ABC Tools & Test Kit	
Wedge Separation Tool ABC 4 x 95mm <sup>2</sup>	
Core Separation Wedge ABC 4 x 95mm <sup>2</sup>	
Insulated Cable Test Point	
LV/ABC Tool & Test Kit	
Clamba Wines Crime Augus Multi Purpose	HO

Adaptor - 1/16" Hex to 1/2" Square Drive	H10
Chuck, Quick Change 7/16" Female to 1/2" Female	H10
Special Drive Sockets	H10
"J" Hook Driver - Slot Socket PLUS	H10
D-Bolt Socket - 450mm Long	
½" Drive Socket Sets	
Deep Impact Socket Set - 26 & 29 Piece Kits	H10
Extra Deep Tube Socket Set - 7 Piece Kit	H11
METRINCH Socket Set - 15 Piece Kit	H11
Banding System - Stainless Steel	H12
BAND-IT® Banding System	H12
Ball-Lokt <sup>TM</sup> Banding System	H12
Conductor Scratch & Cleaning Brushes	H13
Scratch Brush - "Dog-bone and FlatRound" - Madi	
Scratch Brush and Safety Knife - Madi	
Conductor Scratch Brushes	
Stick Scratch Brushes - Hastings	
Cable Preparation Tools	
Drill Driven Cable Stripper - Utility Tool	
2 and 4 Way Cable Stripper - LV ABC - Utility Tool	
ABC Strippers	
Outer Sheath Stripper - Ratcheting - Ripley	
Outer Sheath Ripper Stripper	H15
Outer Sheath Stripping Tool	H15
Outer Sheath Stripper	H15
Cable Sheath & Insulation Stripper	H15
Adjustable Outer Sheath and Insulation Stripper	
Adjustable Outer Sheath and Insulation Stripper	
Outer Sheath & Insulation Strippers	
Plier Style Outer Sheath Strippers	
Semi-Con, Outer Sheath and Insulation Stripper	
Chamfer Tool - Insulation	
Chamfer Tool - Insulation	
Paper Lead Setting / Stripping Pliers	
Semi-Con Scorer - Peelable	
Semi-Con Scorer - Peelable	H 18



### MAIN CONTENTS

# HAND TOOLS - TABLE OF CONTENTS

Safety Knives	H 19
Safety Knife -TEN	H19
One Flip Safety Knife - Madi	
LOCKBACK Blunted Tip Knife - Madi	H 19
Fixed Blunted Blade Skinning Knife - Madi	
Safety Knife and Scratch Brush - Madi	
Cable Skinning Knife - Klein	
Safety "V" Style Knife	
Aluminium Trimmer for ACSR - TEN	H20
Conductor Diameter Gauges	H20
Conductor Diameter Sliding Gauge - TEN	
Conductor Diameter Gauge - AL, CU & ACSR - TEN	
Temporary Earth Stakes - TEN	H21
Earth Rod Drivers - iTOOLco	H21
1000V INSULATED HAND TOOLS - Derancourt	H23
Multi-grip and Pliers	H23
Multi-grip Pliers	
Long Nose Pliers - Fully Insulated	H23
Combination Pliers	
Cutters	H23
Diagonal Cutters	H23
Cable Cutters	
Ratchet Cutters	H24
ACSR, AL and CU	H24
Parrot Beak Cutters - Large	H24
AL, CU and Steel	
Bolt Cutters	H24

1000V Insulated Battery Powered Cutters - Klauke	HZ4
Knives & Hacksaw	H2
Knives	H2
Hacksaw	H2
Screwdrivers	H2
Flat Blade	
Phillips Head	
Shifters and Spanners	H2
Shifters (Standard Insulated & Fully Insulated)	
Offset Ring	
Straight Ring	
Single Open Ended	
Wrenches	H28
Reversible Ratchet Wrenches - ½" & 3/8" Drive	H28
Torque Wrenches - ½" Drive - 8-60Nm	
Torque Wrenches - 3/8" Drive - 4-20Nm	H28
Torque Wrenches - 3/8" Drive - 8-60Nm	H28
T-Handle Wrench - ½" Drive	H28
Socket Extensions	H29
125mm & 250mm Long	H29
Sockets 3/8" and 1/2" Drive	H29
Socket - ½" Drive - 12 Point	H29
Socket - ½" Drive - 6 Point	H29
Socket - ½" Drive - 12 Point Long	H29
Sockets - 3/8" Drive - 6 and 12 Point	
Socket -Hex Head - M200 (3/8") & M250 (1/2")	H30
Socket - Offset - 17 & 19mm	
Socket - Fixed - T handle Wrench	
Sockets - Radio and T-Handle	H30
Allen Keys	H3
Allen Keys - T-Handle	
Allen Keys - Curved, Connector & Screwdriver Handle	H3
Fuse Extraction Tool	H3



# Require tools and equipment for a new truck? TEN can customise a kit to suit Line-workers, apprentices and crew requirements



#### **FOUR sizes in ONE**

# Suits IPC's

Spanner Ratchet 13 & 17mm Reversible 6 Point Hex Suits IPC's 1.5 - 240mm<sup>2</sup> with short handle or long handle

**Short or Long** Handle


# Lanyard can be threaded through Handle anchor hole for Version added safety

# Ratchet Wrenches and Podgers

#### 4 Way Ratchet Wrench - NGK

#### Part No. BY-3

- Four sizes in one
- Plastic ergonomic non-slip handle with grips



D	10mm	12mm	16mm	20mm	
В	17mm	19mm	24mm	30mm	

# 2 Way IPC Ratchet Wrench

#### Part No. RS1317-Series

Reversible ratchet spanner.

The 6 point hex is ideal for 1.5 - 240mm<sup>2</sup> IPC's

- Ideal for IPC's
- Straight Plastic Handle
- Available with long or short handle
- Forward and reverse ratchet mechanism

Part No.	Handle	Size OAL (mm)	Hex
RS1317-6SH	Short Handle	13 & 1 <i>7</i> 210	6pt
RS1317-6LH	Long Handle	13 & 17 250	6pt
RS1317	No Handle	13 & 17	6pt

# 2 Way Ratchet Podgers

#### **Part No. RRP-Series**

The R-series Podgers from TEN are precisely machined, heat treated and zinc plated. Each podger ratchet consists of two drive socket heads of different sizes within a heavy duty 32 tooth ratchet mechanism. Dual head ratchets allow speed and efficiency on the job.

- Reversible with continuous taper
- 12pt Hex refer table below
- 13 24mm available with plastic handle
- Forward and reverse ratchet mechanism
- 2 sizes of double hexagonal sockets per tool

12pt HEX

Part No. (no handle)	Part No. (with handle)	Size (mm)	Hex
RRP1317	RRP1317-H	13 & 17	12pt
RRP1719	RRP1719-H	17 & 19	12pt
RRP1824	RRP1824-H	18 & 24	12pt
	RPH1824	18 & 24 (Folding Handle)	12pt
RRP1921	RRP1921-H	19 & 21	12pt
RRP1924	RRP1924-H	19 & 24	12pt
RRP2124	RRP2124-H	21 & 24	12pt
RRP2427	RRP2427-H	24 & 27	12pt
RRP2430	RRP2430-H	24 & 30	12pt
RRP3032	RRP3032-H	30 & 32	12pt
RRP3036	RRP3036-H	30 & 36	12pt
RRP3236	RRP3236-H	32 & 36	12pt
RRP38BS16	RRP38B16-H	3/8" BS/16mm	12pt

#### **Single Ratchet Podger**

Part No. RRP36/H

Part No. (no handle)	Part No. (with handle)	Size (mm)	Hex	Length (mm)
RRP36	RRP36-H	36	12pt	450

CONTENTS

# Jenny Tools











# Hand Ratchet Cutters - ACSR - Steel - Cu - Al

#### Part No. Various

- Suitable for Cutting ACSR Steel -Copper - Aluminium (See table below)
- From 15mm to 52mm (See table below for cutting capacity of each tool)
- Patented two-step ratchet mechanism requires fewer strokes per cut
- Quick-release lever opens blades easily in every cutting position
- Handle locks in closed position for storage and transportation
- Full ratcheting cycle and release in all cutting positions
- Ergonomic handles design to maximise cutting leverage

Breaking blades?
Solution - RC-32ACSR
AL/CU/ACSR/ST
CUTTERS

### **ACSR - Steel - Guy Cable Cutters**

Part No.	Cable	e Dimensio	Length	Tool	
Fari No.	Cu	Al	ACSR / St / Guy	OAL (mm)	Wt (kg)
9009	15	18	ACSR - 15 / Steel - 5	267	0.5
63607	18	22	ACSR - 17 / Steel - 10	260	0.7
RC-32ACSR	32	32	ACSR - 20 / Steel - 5	254	0.7

### **Copper - Aluminium Cable Cutters**

Part No.	Cable	e Dimensio	Length	Tool	
Pari No.	Cu	Al	ACSR / St / Guy	OAL (mm)	Wt (kg)
K1062	52	52	-	280	0.7
K683T	32	32	-	260	0.7

# **Ratcheting Cable Cutter - Reliable**

#### Part No. REL-R-HC

- Jaw keeper prevents the jaws from spreading while under heavy load
- Shear-cut blades
- Ratchet and chain increase cutting pressure as handles open and close
- Moderate pressure opens & closes handles.
- Mechanical advantage over manual cutters

#### Part No. REL-R-SC

- Cut Copper & Aluminum cable up to 50mm, including rubber or lead covered cable
- Heavy duty jaw and ratchet design provides mechanical advantage over manual cutters
- Does not cut steel

Down No.	Cable Dimens	ions Max D			
Part No.	Cu	Al	ACSR	OAL (mm)	Wt (kg)
REL-R-HC	30	30	30	<i>7</i> 36	4.5
REL-R-SC	50	50	-	<i>7</i> 36	4.4







# Battery Ratchet Cutters - ACSR - Steel - Cu - Al 55mm Ratchet Cutter, ACSR/AL/CU - Klauke

Battery Operated Ratchet Cutters, designed for cutting a variety of OH Conductors & UG cables, including CU, AL & ACSR.



#### **Features**

- Ergonomically designed
- One handed operation
- LED light to illuminate work area
- Forward & Reverse switch
- Versatile Makita platform



TEN

#### **Technical Data**


Don't No.	Hand State Cata		Cuts Jaw opening (mm)	Capacity (mm)			Dimensions (mm)	Wt (kg)
Part No.	. Head Style Cuts	CU		AL	ACSR	(L x W x H)	Inc. Battery	
ESST55AP-AL	Ratchet	ACSR	E E	-	-	OLIVE*	391 x 110 x 186	3.6
ESU55AP-AL	Ratchet	AL / CU	55	29	33	-	388 x 110 x 198	3.4

<sup>\* \*</sup>OLIVE Conductor stranding 54/7/3.50

# 50 & 65mm Ratchet style Cutters - AL/CU

Battery Operated Ratchet Cutters,

50mm Jaw opening designed for cutting a variety of OH & UG
Conductors, including CU & AL





#### Part No. RCB-50Y

- Scissor Style Head
- Ideal for Confined spaces
- Max Cut 630mm<sup>2</sup>

Genuine Makita

18V Battery

• 50mm Jaw opening



# Part No. RCB-65N

- 65mm Jaw opening
- Max 1000mm<sup>2</sup>
- Ideal for larger UG cables
- Forward & Reverse mechanism

Genuine Makita

18V Battery

#### **Order Information**

RCB-50Y-0 RCB-65N-0 Tool skin & case	
RCB-50Y-K RCB-65N-K Tool, 2 x 3.0Ah* Mak batteries, charger & co	

<sup>\*</sup>See page C37 for battery and charger information

#### **Technical Data**

Downt Nile	He and Cande	Costs	Jaw opening	Capacity (mm)			Dimensions (mm)	Wt (kg)
Part No.	Head Style	Cuts	(mm)	CU	AL	ACSR	(L x W x H)	Inc. Battery
RCB-50Y	Scissor Ratchet	AL / CU	50	33	33	-	160 x 110 x 370	4.4
RCB-65N	Ratchet	AL / CU	65	41.5	41.5		175 x 110 x 320	3.5







# Cable Cutter - AL/CU - Klein

#### Part No. 63035

- Maximum cutting capacity 22mm Aluminium & Copper
- 425mm Length

### Cable Cutter - AL/CU - Klein

#### Part No. 63050

- Maximum cutting capacity 12mm Aluminium & Copper
- High-leverage design for exceptional cutting capability
- Hot-riveted joint ensures smooth action and no handle wobble
- 241 mm Length

### Parrot Beak Cable Cutter AL/CU

#### Part No. 0890CSJ

- Special alloy hardened blades
- Comfort grips
- High-leverage jaws with shear-cut blades

#### **1000V Side Cutters**

#### Part No. 5428HV

- 1000V Diagonal cutter
- Length 200mm
- Electronically Induction Hardened Cutting Edges

#### **Pliers**

# **Universal Cutting Pliers**

#### Part No. 3800CTV

- Premium quality forged alloy steel for toughness and durability
- Precise jaw gap for wire work with cross hatch jaws for positive grip
- Serrated pipe grip
- Extended and hardened cutting jaw for use with flat multi-core cabling
- Built in crimper for use on 1.5mm<sup>2</sup> to 6mm<sup>2</sup> solderless connectors
- Length 200mm

#### **Universal Cutting Plier - 1000V**

#### Part No. 3800CHV

- 1000V Universal Plier with crimper
- Length 200mm

# **Long Nose Pliers - 1000V**


#### Part No. 6547HV

- Precise Jaw for wire work
- Cross hatch jaws for positive grip

#### **Bolt cutters - Power Pivot**

#### **Bolt Cutters - Crescent**

- High-leverage jaws with shear-cut blades
- PowerPivot<sup>TM</sup> Technology



See Insulated Tool section for 1000V Insulated Bolt Cutter









# **Adjustable Wrenches - Shifter**

#### Part No. AC2-Series

- Wide capacity jaw allows each tool to work with more fastener sizes
- Tension spring stabilises jaw and knurl adjusts easily
- Wider handle on sizes provides more comfort & less stress on the hand
- Alloy steel and heat treated and plated finish resists rust and corrosion

Part No.	AC26VS	AC28VS	AC210VS	AC212VS	AC215VS	AC218VS
Size (mm)	150	200	250	300	380	460
Size (Inches)	6	8	10	12	15	18



# **Line Tap Spanners**

#### **Part No. HLTS Series**

• Designed for tightening Brass Line Taps or Split Bolt Clamps



Part No.	Description	Weight (kg)
HLTS-5	*Spanner for brass Line Taps & IPC's (5 way)	0.25
HLTS-2	**Spanner for brass Line Taps & IPC's (2 way)	0.15
HLTBS-6	Grips Line Tap Spanner Base (6 way)	0.20

<sup>\*</sup>Suitable for B22, B24, B25, B26 & B28

<sup>\* \*</sup> Suitable for B26 & B28



#### Part No. HRC-0506C

- Ratchet hand Crimpers
- Capacity 0.5mm2 to 6mm2 RED/YELLOW/BLUE
- 230mm Long



#### **Part No. Various**

- With revolving dies
- Simple and safe: Exact cross-section assignment thanks to permanent marking on the dies

Part No.	Description	Length (mm)	Weight (kg)
HX-50N	Hex Hand Crimping tool 6 - 50 mm²	390	1.3
HX-120N	Hex Hand Crimping tool 6 - 120 mm²	627	3.6



# **Hand Ratchet Crimper - 14mm OD**

#### Part No. MP-10-SIMPI

• 9mm "W" captive die, for pre-insulated service sleeves

#### Ruler - 1m 4-Fold

#### Part No. LFSSI

- Sturdy folding rules available with Square Edge.
- Clear metric & imperial markings









#### **ABC Tools & Test Kit**

# Wedge Separation Tool ABC 4 x 95mm<sup>2</sup>

#### Part No. ST-31

- Core separation wedge
- Suitable for LVABC up to and including 4 x 95mm<sup>2</sup>
- Supplied with interconnecting rope



#### Part No. PMR87

- Core separation wedge
- Suitable for LVABC up to and including 4 x 95mm<sup>2</sup>
- Hex nut style head suits the 2 way IPC ratchet wrench for turning
- Sold individually




#### Part No. PP1514

- Re-usable insulated cable test point
- Suitable for cable ranges up to 150mm<sup>2</sup>
- Sold individually

# LV/ABC Tool & Test Kit

#### Part No. TENK013

















**IDEAL** for cleaning dirt & grime from your hand tools

HTC-D72

# **Cleaning Wipes - GrimeAway Multi Purpose**

#### **Part No. HTC-Series**

#### Tough on Dirt, but Field Friendly

Polywater® Grime-Away™ quickly and effectively removes hydraulic fluids, silicone greases, and adhesives from transformers, vehicles, heavy machinery, tools, and hands for a clean and safe working environment. Its unique water-based formulation is especially safe on skin, unlike most other tool and hand cleaners. Grime-Away is available in a multiple-use, 72-count canister or individual wipes that store easily in tool pouches or lineman bags.

Part No.	Description	Pack
HTC-D72	Dispenser with 72 Pre-moistened wipes*	72 Wipes

<sup>\*</sup>Not suitable for Rubber Goods







#### Part No. TEN-716-12

- 7/16" hex shaft adapter for 1/2" square drive sockets
- Convert your 7/16" utility impact wrench to a ½" drive for your impact sockets
- Designed for high torque Impact wrenches
- Superior wear resistance and durability for utility grade use
- Made from high strength, shock proof



#### **Part No. 2403**

- Super Heavy Duty 1/16" (1/2" Square Drive) Quick-Change Chuck.
- Three ball bearing system to firmly secure you auger bits and adapters.
- Designed to be used with high torque ½" square drive impact wrenches.













# **Special Drive Sockets**

#### "J" Hook Driver - Slot Socket PLUS

#### Part No. SS-2





Suits Off-Set & **Centred J-Hooks** 

#### **Features**

- High Visibility ID Band
- Impact Rated
- Improved Fit on Large J Hooks (Off-Set & Centre)
- Earthing Clamps

- Hot Line Clamps
- Cross-Arm Hardware
- Stringing Block
- Temporary Arm Insulators

# **D-Bolt Socket - 450mm Long**

#### Part No. TENA517

Use with cordless drills

Part No.	Description	Length (mm)	Weight (kg)
TENA517	Socket for Pillar Box D-Bolts	450	0.50

# 1/2" Drive Socket Sets

## Deep Impact Socket Set - 26 & 29 Piece Kits

Part No. 658272601 - 26 Piece 1/2" Drive, 12-Point Deep Impact Socket Set Includes: 10 to 36mm (excluding 31mm) stored in a Blow Mould Case.

Part No. 84935N - 29 Piece 1/2" Drive, 6-Point Deep Impact Socket Set Includes: 8 to 36mm stored in a Blow Mould Case.

Part No.	Description	Туре
658272601	26 piece Socket Set - Deep Impact	12 Point
84935N	29 piece Socket Set - Deep Impact	6 Point




# **Extra Deep Tube Socket Set - 7 Piece Kit**

#### Part No. 605290701

7 Piece ½" Drive, 6-Point "TUBE" Deep Impact Socket Set

Includes: 19, 21, 24, 27, 30, 32 and 36mm @ 250mm Long stored in a Blow Mould Case

Part No.	Size (mm)	D2 (mm)	D1 (mm)	L2 (mm)	L (mm)	Hole Clearance (d)
60529018	18	28	28	13	250	14
60529019	19*	28	28	13	250	14
60529021	21 *	28	31	13	250	16
60529024	24*	28	35	15	250	18
60529027	27*	32	38.5	17	250	22
60529030	30*	32	42	17	250	22
60529032	32*	34	44	19	250	24
60529036	36*	36	49	19	250	26



<sup>\*</sup> Sizes included in set



#### **METRINCH Socket Set - 15 Piece Kit**

#### Part No. MET-2450

#### Get More Use Out of Fewer Tools

Metrinch means fewer tools and easier selection as each tool can be used for both metric and inch, plus damaged nuts and bolts. This eliminates switching back and forth from imperial to

#### **Unique Patented Design**

The 4-point grip design enables Metrinch sockets and spanners to fit multiple sizes and damaged or rounded nuts.

#### More Torque, Less Wear

By exerting pressure through the walls, Metrinch grips more securely than conventional sockets.

#### Non Slip Hold

No more cut hands, banged up knuckles and elbows due to wrench slippage.

All Metrinch tools are forged from high grade chrome vanadium steel for lifetime use.







The Metrinch 6 wall drive system means that one tool set is all you need to service your equipment, whether it's made in Germany, the USA or Australia.

**Unique 6 Wall Drive System** This 15 Piece socket set equals a 42 piece conventional set

#### Individual sizes available

Fit	½″ Drive				
Metric (mm)	30	32			
SAE/AF (Inch)	1 <sup>3</sup> / <sub>16</sub>	1 1/4			
Length (mm)	86				

<sup>\*</sup>All sizes available individually

#### **Included sizes in Socket Set\***

Fit	½″ Drive									
Metric (mm)	11	11 12 13 14 15 16 17 18								
SAE/AF (Inch)	7⁄16	15/32	1/2	9/16	19/32	5/8	11/16	<sup>23</sup> / <sub>32</sub>		
Length (mm)	80									

Fit	½″ Drive						
Metric (mm)	19	19 20 21 22 23 24 2					
SAE/AF (Inch)	3/4	<sup>25</sup> / <sub>32</sub>	<sup>13</sup> / <sub>16</sub>	7/8	<sup>29</sup> / <sub>32</sub>	<sup>15</sup> / <sub>16</sub>	1
Length (mm)	80			86			





BAND-IT® 201 Stainless Steel band

# Banding System - Stainless Steel BAND-IT® Banding System

#### Part No. Various

BAND-IT® 201 Stainless Steel Bands

The BAND-IT® type 201 Stainless steel non-magnetic band is the preferred option in all general use banding applications, offering high tensile strength and good resistance to oxidation and weathering. Available in a variety of widths and thicknesses.

In addition, EASYSCALE – imprinted measurements on the band, help determine band length and eliminate costly waste. Packaged in a standard box or a durable plastic tote for easy dispensing.

Part No.	Width (mm)	Thickness (mm)	Weight per roll (kg)		
	BAND-IT® S-St	eel band (30.5m Roll)			
C202	6.35	0.51	0.9		
C203	9.53	0.64	1.5		
C204	12. <i>7</i> 0	0.76	2.4		
C205	15.88	0.76	3.0		
C206	19.05	0. <i>7</i> 6	3.6		
	BAND-IT® S-Steel Buckles (100 per pack)				
C252	6.35		0.1		
C253	9.53		0.3		
C254	12. <i>7</i> 0		0.8		
C255	15.88		0.9		
C256	19.05		1.5		
	Tool for BAND	O-IT®Band & Buckles			
001	6 - 20		2.0		





# Ball-Lokt™ Banding System

For applications ranging from identification tagging to bundling cables, Ball-Lokt<sup>TM</sup> Ties in 316 stainless steel, provide a longer life than nylon ties, especially in extreme climates.

Easy dispensing.

Self-locking design installation by hand or with the KS 652 tool, to assure uniform tension and clean tail cut-off for safe handling.

Ideal for conductor wire grip application








Part No.	Width (mm)	Length (mm)	Weight per pack (kg)		
	Ball-Lokt™ S-Ste	eel Ties (100 per pack)			
KT6U046-200	4.6	200	0.25		
KT6U046-350	4.6	350	0.4		
KT6U046-500	4.6	500	0.5		
KT6U078-200*	7.8	200	0.5		
KT6U078-350	7.8	350	0.75		
KT6U078-500	7.8	500	0.9		
	Tool for Ball-Lokt™ Ties				
KS652-TOOL*	Tensioner & Cutter		0.6		

<sup>\*</sup>Banding Tool & Band-Lokt Ties for Wire Grip fitting

#### **Self-Locking Application**

- 1. As the stainless steel band is inserted into the buckle, the internal locking ball rolls freely
- 2. During tensioning, the band wedges onto the buckle locking tightly between the buckle and the band



tengroup.com.au



CONTENTS



FRWB-1

BB-2S





### Scratch Brush - "Dog-bone and FlatRound" - Madi

- Designed to encourage linemen to brush with a more convenient and ergonomic design making it more convenient than ever before
- Replaceable brush inserts make a cost effective solution
- Suitable for use up to 45mm conductor
- Made from Non-conductive materials
- Minimise open neutrals and bad connections by brushing conductors properly

#### Part No. DBWB-1

• Dog-bone design, colour and marking for copper one end and aluminium the other

#### Part No. FRWB-1

- Designed for both flat and round connection such as palms
- Replaceable brush inserts suitable for both flat and round ends

Part No.	Description	Wt (kg)
DBWB-1	Dog-bone Scratch Brush (includes one set of inserts)	0.25
FRWB-1	Flat Round Scratch Brush (includes one set of inserts)	0.25
LWB-1	Replacement Wire Brush for DBWB-1/FRWB-1	0.1



#### Part No. BB-2S

- Integrated wire brush for cleaning conductors to make better connections
- Replaceable brush inserts make a cost effective solution
- Suitable for use up to 25mm conductor
- Blunt Tipped fold-away blade for added safety
- Stainless steel blade for maximum durability and sharpness

Part No.	Description	Wt (kg)
BB-2S	Fold-away Safety Knife and Round Scratch Brush	
WB-1	Replacement Wire Brush for BB-2S	0.1



#### Part No. SB-3 & SB-4

- Used for preparing the surface of conductor prior to applying a connector/splice
- Tough stainless steel bristles resist rust
- Copper or aluminium available use only on specified conductor to prevent cross contamination

Part No.	Colour	Conductor Type	Wt (kg)
SB-3	White	Aluminium	0.1
SB-4	Black	Copper	0.1



# **Stick Scratch Brushes - Hastings**







Part No.	10-178	10-180	10-179
Description	Complete "V" Brush unit with Handle for Gloved Hands, Shotgun Ring, Replaceable Brushes (10-179)	Complete "V" Brush unit with Universal Head Attachment, Replaceable Brushes	Pack of 10 Replacement Brushes
Material	Thermoplastic Handle & S/S Bristles	Al Alloy Body & Stainless Steel Bristles	Stainless Steel Bristles







SCAN or CLICK to see the stripper in action









# **Cable Preparation Tools**

# **Drill Driven Cable Stripper - Utility Tool**

# Part No. WS68-3-8 Power Driven Cable End Stripper

The Utility Tool LV Cable Strippers are a fast, safe and economical stripping tool with interchangeable square cut bushings for a wide range of common Australian LV cables. Easily setup with your chosen bushing, the tool can be quickly attached to your cordless driver for effortless cable stripping.

#### **Benefits**

- Increases safety by eliminating use of traditional knives, reducing the risk of cuts or lacerations
- Easily attaches to power drill for safe & efficient cable stripping
- Adjustable strip lengths from 15.9mm to 63.6mm
- Increases splice & union reliability with accurate strips every time
- Use with bushings specifically designed to suit 16-150mm<sup>2</sup> Australian conductor
- For Low Voltage Applications
- Evenly Strips Insulation
- The optional WS68 Snaps patent-pending Quick Connect Adapter makes changing bushings faster & more efficient - even with gloves only

#### Unique Australian Bushing Part No's









Part No.	Square Cut Bushings LV ABC		
RB-100	10mm² Al XLPE OH		
RB-101	16mm <sup>2</sup> Al XLPE OH		
RB-200	25mm² Al XLPE OH		
RB-201	35mm² Al XLPE OH		
RB-300	50mm <sup>2</sup> Al XLPE OH		
RB-301	70mm² AI XLPE OH		
RB-400	95mm² Al XLPE OH		
RB-401	120mm² Al XLPE OH		
RB-500	150mm² Al XLPE OH		
Part No.	Underground		
RB-102	16mm² Cu XLPE/PVC LV UG (Olex)		
RB-202	35mm² Cu XLPE/PVC LV UG (Olex)		
RB-302	50mm² Cu XLPE/PVC LV UG (Olex)		
CB6667	Bushing spare blade		

# Contact TEN for information on the full range of available bushings 2 and 4 Way Cable Stripper - LV ABC - Utility Tool

The Utility Tool LV Cable Strippers are a fast, safe and economical stripping tool with interchangeable square cut bushings for a wide range of common Australian LV cables. Available in a 2 bushing body or 4 bushing body, these are easily setup with your go to bushings.

- Safer than ripping tools/strippers with a guarded cutting blade
- Fast and simple to use
- Precise stripping with no conductor damage
- Suitable for XLPE, PVC and EPR insulations
- Commonly used for ABC and SDI cables
- Made in the USA

See above table for available Bushings

Part No.	Description
36101H	Stripper, cable, body only, 2x2, includes allen keys, Ripley
36001H	Stripper, cable, body only, 4x4, includes allen keys, Ripley
40110	Adapter, snap on to suit 2x2 and 4x4 strippers for quick bushing change, Ripley

# **ABC Strippers**

#### Part No. ABC-STRIPPER

• Removes tough insulation from low voltage aerial cables

Part No.	For	Suits Cable (mm²)	Spare Blade #	Wt (kg)
ABC-STRIPPER-95	ABC	95	ABC-STRIPPER-B	0.1
ABC-STRIPPER-150	ABC	150	ABC-STRIPPER-B	0.1





# **Outer Sheath Stripper - Ratcheting - Ripley**

#### Part No. US14-7000

Ratcheting outer sheath cable slitter removes the outer sheath from HV and LV cables. The US14 easily performs ring cuts and slit mid-spans on ducts and heavy-duty cables.

- Equipped with safe, recessed blade to prevent potential injury & blade damage
- Compatible with high fiber count fiber optic cables
- Micro-adjustable blade depth adjusts up to (5 mm) to avoid underlying cable damage







Part No.	Description	Min Cable	Spare Blade #	Wt (g)
US14-7000	Ratcheting Slitter	25	US14-7500	180



# **Outer Sheath Ripper Stripper**

#### Part No. HRIPS

- For safe removal of outer sheaths
- Reversable blade has blunt mushroom head which stops damage to inner core

Part No.	Suits Cable	Spare Blade #	Wt (kg)
HRIPS	LV & HV	HRIPS-B	0.2



# **Outer Sheath Stripping Tool**

- Adjustable cutting-depth by thumb wheel
- Circular and longitudinal cutting
- Replacement blade in the handle

Part No.	Strip Range (mm)
R3840	8 to 28
AM2	25 to 36



# **Outer Sheath Stripper**

#### Part No. IBST50400

- Used for removal of core insulation
- Removes insulation up to 5.5mm
- Cable range from 12 38mm (50 400mm<sup>2</sup>)
- Long life blade Spare Blade Part No. IBST5024B



Part No. IBST5024B

• Spare Blade Part No. 1562







# **Adjustable Outer Sheath and Insulation Stripper**

#### Part No. US01-7000

The industry's most versatile, reliable and accurate adjustable tool for mid-span and end stripping on HV and LV utility cables.



#### Features

- Easily strip mid-span double insulations in one go for direct connection via PG or Wedge Style connector, or strip outer sheath only for insulated piercing connectors (IPC's)
- Eliminates the need for traditional stripping knives, reducing the risk of cuts or lacerations
- Heavy duty tool easily removes jacket & various types of insulation materials
- Patent-pending, self-aligning design maintains optimum blade position to produce precise cuts for reliable splices & connections
- Well-balanced tool has low friction parts & ergonomic handles to reduce effort & potential strain from repetitive stripping functions
- Spare blades also available: (US01-7500)

#### Compatibility

Cable Type		HV and LV Utility Cables	
Cable Size (mm)		12.7 to 63.5	
Compatible Jacket		URD, PE, PVC, Copper Tape Shield, LC Shield, Flat Strap	
Materials	Insulation	XLPE, PE, EPR	
Cable A	ccess	Mid Span & End Strip	
Blade	Angle	Yes	
Adjustability	Depth (mm)	Yes (1.5 to 10.6)	
Removable Handles		Yes	
kelilovable Hallales		100	

# Perfect for Mid-Span & End Stripping on CCT, Hendrix, Spacer Wire & Tree Wire Cables



# **Adjustable Outer Sheath and Insulation Stripper**

#### Part No. US07-7000

USO7 Adjustable Cable Stripper that quickly and easily end strips or midspan strips cable insulation with no conductor damage on 7.6mm to 35mm OD cables. The tool utilizes a size adjustment clamping system to swiftly adjust and lock onto the insulation.

#### Features

- Equipped with safe, recessed blade to prevent potential injury & blade damage
- Easily adjusts with detent actuated knob & fine adjustment knob to match
- Insulation thickness for fast stripping without conductor damage
- Durable bronze bushings provides longevity
- Spare blades also available: (US07-7500)



#### Compatibility

Cable Type	HV and LV Utility Cables
Cable Size (mm)	7.6 to 35
Materials Jacket	URD, PE, PVC
Cable Access	Mid Span & End Strip
Blade Depth (mm)	Adjustable (1.15 to 3.2)

# Quickly adjusts and clamps on to cable diameters from 7.6mm to 35mm



# **Outer Sheath & Insulation Strippers**


- Large knobs for opening/closing jaws and offsetting tool
- Locknut on opening/closing knob for maintaining position
- Blade direction lever and knurled cutting depth knob
- Directional markings on body
- Stainless steel and aluminium alloy construction


Part No.	Cable OD	<b>Cutting Depth</b>	Suits Jackets	Retract Stop	Spare Blade
POLY	7 - 33mm	12mm	All (XLPE/EPR/PVC/PE)	20-110mm	LAME-POLY-L













Longitudinal Cut

Stripping of Sheath



SCAN/CLICK for a copy of the PAD/PBT ordering Guide



Insulated 1000V EN60-900



# **Plier Style Outer Sheath Strippers**

Plier type Sheath strippers, for circular & longitudinal cutting with end ripping claw blades

- 1000V Insulated and Non-insulated models available
- Plier type strippers, circular/longitudinal cut with end ripping blade
- Replaceable cutting blades (available in kits)
- 3 or 4 x Circular cutting blades, 1 x Lengthwise cutting blade and 2 x Claw blades
- Ideal for stripping Sector or deformed cable
- Lead Sheath stripper available





Replaceable Cutting Wheels & Claw Blades SCAN or CLICK QR-Code for ordering guide

Part No.	Insulated	Circular Cut Depth (mm)	Lengthwise Cut Depth (mm)	Capacity (mm)	Wt (kg)
PAD12-16A	No	1.2	1.6	10-45 OD	0.75
PAD16-20A	No	1.6	2	10-45 OD	0.75
PAD30-30A	No	3	3	10-45 OD	0.77
PAD32-34A	No	3.2	3.4	10-45 OD	0.77
PAD40-40A	No	4	4	10-45 OD	0.77
PBT IS 12 16 A	1000V	1.2	1.6	10-45OD	0.6
PBT30-30A	1000V	3	3	10-45 OD	1.3
PBT40-40A	1000V	4	4	10-45 OD	1.3
PBT20-20B	1000V	2	2	20-45 OD	1.3

Other sizes and blade combinations available



Non-insulated model, black sheathed



PBT IS Model Fully Insulated 1000V EN60-900

# Semi-Con, Outer Sheath and Insulation Stripper

#### **Part No. POLY Series**

Strips Semi-Con, Outer Sheath and Insulation with one tool

- 3 Strippers in one
- 25mm<sup>2</sup> to 630mm<sup>2</sup> Capacity
- Suitable for a wide range of material e.g. (XLPE/EPR)
- 12mm Cutting Depth

Part No.	Semi-Con Type	Cable Dia (mm)	Cutting Depth (mm)	Replace Blade (Sheath & Ins)	Replace Blade (Semi-Con)
POLY-SCNP	Non- Peelable	7 to 33	7 to 33 0 to 12	LAME-POLY-L	LAME-OUT-SCNP
POLY-SCP	Peelable			LAME-POLY-L	LAME-OUT-SCP-CH







#### **Chamfer Tool - Insulation**

#### Part No. US-10 Series

Insulation Chamfering Tool utilizes a size adjustment clamping system to quickly and easily adjust and lock onto the insulation.

- Performs a angle bevels with a factory-set chamfer depth of 1.9 mm
- Adjustable from 0 mm to 3.81 mm
- Equipped with safe, recessed blade to prevent potential injury & blade damage



Part No.	Tool Type/ Application	Cable Insulation Capacity (mm)	Replacement Blade
US10-7000	30° Bevel Edger	14 - 60	US10-7500
US10-7001	45° Bevel Edger	14 - 60	US10-7501



#### Part No. CHANFREIN-DT

- Chamfers a 30° angle bevelled edge on the insulation
- Hard Aluminium Clamps
- Stainless Steel fittings



Part No.	Tool Type/ Application	Cable Capacity (mm)	Replacement Blade
CHANFREIN-DT	30° Bevel Edger	9 - 33	LAME-CHANFREIN-DT







A RIPLEY® BRAND





tengroup.com.au

# Paper Lead Setting / Stripping Pliers

#### Part No. SP-1355

- Stripping or Setting Pliers for paper lead cable
- Capacity 13 to 55mm
- 210mm long

#### **Semi-Con Scorer - Peelable**

#### Part No. SCS

Compact & user-friendly tool scores semi-con on HV cables without damaging the insulation

- Eliminates the need for traditional stripping knives, reducing the risk of cuts or lacerations
- Performs longitudinal & spiral cuts on cable diameters ranging from 8 to 51 mm
- Precise & easily adjustable blade depths from 0 to 4 mm in increments of 0.05 mm
- Adjustable blade pitch accommodates various cable diameters

Part No.	Cable Dia (mm)	Blade Depth (mm)	Replacement Blade
scs	8 to 51	0 to 4	43645
			A







#### **Semi-Con Scorer - Peelable**

#### Part No. BC-UTT23521/2

- Scores Semi Conductive Screen on HV cables
- Screen simply peels away
- Choose blade depth

Part No.	Depth of scoring (mm)
BC-UTT23521	0.4
BC-UTT23522	0.6











FBSK-3B

BB-2S



# **Safety Knife -TEN**

#### Part No. KN3920

- Safety Blade with Protective sheath
- Ergonomic Design with Over Molded blade
- Finger Guard for Maximum Safety
- Easily replace blade in-field
- 1000V Insulated

Part No.	Description	Replacement Blade	Wt (kg)
KN3920	1000V Insulated Fixed Blade safety knife	BLADE-KN3920	0.1

See page H25 for more 1000V Insulated Knives

# One Flip Safety Knife - Madi

#### Part No. PTOLK-3B

- High grade Stainless-Steel Blunted Tip Blade
- Blade Locks Open and Closed
- Push button to open & close Enables quick one-handed operation with gloves on
- Reversible Belt Clip

# **LOCKBACK Blunted Tip Knife - Madi**

#### Part No. LB-3B

- High grade Stainless-Steel Blunt Tip Blade
- Blade Locks Open



• Reversible Belt Clip

# Fixed Blunted Blade Skinning Knife - Madi

#### Part No. FBSK-3B

- High grade Stainless-Steel Blunted Angled Blade Design for Maximum Sharpness
- Blade and Snap Ring are Molded for Superior Strength with Nonconductive Material
- Ergonomic Design with Over Mold for Secure Grip
- Finger Guard for Maximum Safety
- Supplied with a Protective Sheath

### Safety Knife and Scratch Brush - Madi

#### Part No. BB-2S

- Integrated wire brush for cleaning conductors to make better connections
- Replaceable brush inserts make a cost effective solution
- Suitable for use up to 25mm conductor
- Blunt Tipped fold-away blade for added safety
- Stainless steel blade for maximum durability and sharpness

Part No.	Description	Replacement Brush	Wt (kg)
BB-2S	Fold-away Safety Knife & Round Scratch Brush	WB-1	0.23

# Cable Skinning Knife - Klein

#### Part No. 1570-3

- 75mm Hook Blade
- Notched Blade for scraping

### Safety "V" Style Knife

#### Part No. KNIFE082

- Twin Blade with Blade cover
- Strong Durable high impact body
- Unique design prevents injury

Suitable for Pole Top Rescue Kits










# **Aluminium Trimmer for ACSR - TEN**

The Trimmer quickly and accurately removes the aluminium stranding from around the steel core of ACSR conductors in preparation for crimping the steel inner strand.

- Made of an aluminium alloy
- Lightweight and durable
- Operates like a Tube Cutter
- Carry Case stores 11 bushings
- Standard Bushing sizes available (Sold separately)
- Bushings can be made to suit a wide range of ACSR conductors



<sup>\*</sup>Other size bushings available on request

# PSC-2 Trimmer and Bushings available for larger size ACSR conductors Please contact TEN for further information



# **Conductor Diameter Gauges**

### **Conductor Diameter Sliding Gauge - TEN**

Part No. CG-430-AU

HDPE slide gauge quickly & easily identify conductor OD

For conductors 4.0 - 30mm Ø

**Reduce Incorrect** 

**Conductor Identification** 

- Designed for Australian AL, CU & ACSR conductors
- Measure Live Conductors
- Fits universal sunrise fitting
- Part No. Weight (kg) Dimensions (mm) CG-430-AU 104 (W) x 287 (L) x 10 (D) 0.26

# Conductor Diameter Gauge - AL, CU & ACSR - TEN

#### **Part No. CG-EQL Series**

Quickly & easily identify common overhead electrical distribution conductor or wire sizes in AL, CU & ACSR. Markings include conductor name, stranding and overall diameter.

Part No.	Conductor Range	Dimensions (mm)	Wt (g)
CG-EQL-ALCU	Copper 7/.064 – 4.87mm to 19/2.75 – 13.8mm Aluminium Locust – 7/.093 - 7.08mm to Taurus - 19/4.75 - 23.80mm	257 (W) x 91 (L) x 14 (D)	<i>7</i> 50
CG-EQL-ACSR	ACSR Quince - 5.25mm to Wolf – 18.13mm	209 (W) x 91 (L) x 14 (D)	650







# **Temporary Earth Stakes - TEN**

Hand drive the Earth stake for temporary earthing applications.

#### **Features**

- Slide hammer drive
- T-Handle lock screw secures sliding shaft for safety, transport and storage (TENW001)
- Non-slip rubber hand grips (TENW001)
- 16mm Stainless steel rod
- Heavy duty top bash cap
- Chiseled tip for easy driving
- Drive rod at a safe working height, minimise risk of back injury
- No pinch points internal hammer design
- 730mm to attachment point

Earth attachment







Part No.	Length OAL Extended/Retracted (mm)	Attachment Point (mm)	Rod OD (mm)	Wt (kg)
TENW001	1820 / 1340	730	16	6
TENW008	1020 / 1340			5

# i TüüLcü. GRD01 12.7mm-16mm 16mm-19mm 9.5mm-12.7mm

# **Earth Rod Drivers - iTOOLco**

#### Part No. Various

Safely drive 9.5mm, 12.7mm, 14mm, 16mm and 19mm Earth rods into the ground in under a minute with iTOOLco's Ground Rod Dawg™. Once the rod is driven down far enough the tool can be used to hammer from top to finish the driving.

- Hardened tool steel construction for long life
- Multiple size rods can be driven
- SDS Max driver bit for positive connection and secure driving of rods



Drive the rod down to a comfortable height



Then complete the driving by hammering from the top

Part No.	Description	Earth Rod Size (mm)	Driver shaft
GRD01	Earth Rod Driver	12.7 to 19	SDS Max
GRDXL34		19	D 11
GRDXL01		25	Demo Hammer





# **QUALITY INSULATED HAND TOOLS**

Derancourt hand tools are manufactured for working near live parts or potentially live parts with ratings up to 1000VAC and 1500VDC.

#### **PUT SAFETY IN YOUR HANDS**

Derancourt is a world class manufacturer of quality electrician and power utility worker 1000V Insulated Hand Tools. Stringent manufacturing standards, quality assurance and extensive testing ensures the highest level of quality - translating to better safety outcomes.

Derancourt tools are manufactured in accordance with IEC/EN60900 and undergo rigorous testing to ensure full compliance to these standards. Every Derancourt tool is inspected and are batch identified for easy traceability, so you can be sure your using the safest tool for the job at hand.



Insulated hand tools are classified into three categories:

Insulated Hand Tools: Hand tools made of conductive material(s) fully or partially covered by insulating material.

Insulating Hand Tools: Hand tools made totally or essentially from insulating material(s) except for inserts made from conductive materials used for reinforcement, but with no exposed conductive point.

Hybrid Hand Tools: Hand tools made from insulating material(s) with exposed conductive parts at the working head (e-g cutting edges) (some non-exposed conductive part can be used for reinforcement).

This is an important distinction when risk assessing and implementing controls for electrical hazards in the work area.

#### Coating

The coatings of DERANCOURT insulated tools consists of two layers:

- Rigid internal layer, white or red and highly dielectric.
- Soft orange or red outer layer, protecting the inner layer from impacts and improving comfort during use.


This also acts as a visual inspection. If the white or red can be seen under the top layer, then the tools electrical properties have been compromised and the tool should be removed from service. Smart design such as finger stops on the pliers made from an elastomer material reduces the effect of impacts and preserves the insulating coating


#### **Quality Assurance and Testing**

Hybrid, insulating and insulated hand tools must satisfy the tests of the IEC EN 60900 standard.

Derancourt extensively test their products to meet and exceed this standard

- Dimensional control
- Impact tests
- Dielectric test
- Penetration test
- Adherence test
- Flame non-propagation test
- Mechanical tests
- Marking resistance test





The extensive testing and quality manufacturing processes is the assurance you are safer with Derancourt.

CONTENTS





# **Multi-grip and Pliers**

## **Multi-grip Pliers**

#### Part No. Various

• Sectored multi-grip pliers - double grooves

1000V INSULATED HAND TOOLS - Dergncourt

Burnished finish

Part No.	Length (mm)	Opening (mm)	Wt (kg)
D301-310	310	42	0.7
D5	245	36	0.4







- Long straight-nose half-round pliers
- Fully insulated pliers to limit any risk of short-circuits
- Straight serrated jaws, half-round
- Induction hardened, diagonal cutting edges

Part No.	Length (mm)	Wt (kg)
D22D-160I*	165	0.2
D22D-200I*	205	0.3

<sup>\*</sup>Fully Insulated

#### **Combination Pliers**

#### Part No. Various

- Combination pliers fully insulated to jaws
- Fully insulated pliers to limit any risk of short-circuits
- Flat end grip with cutter jaw
- Rectangular gripping area, straight serration with tube grip
- Induction hardened, diagonal cutting edges

Part No.	Length (mm)	Wt (kg)
D1-180	185	0.3
D1-1801*	185	0.3
D1-2001*	205	0.4

<sup>\*</sup>Fully Insulated



# Cutters

#### **Diagonal Cutters**

### Part No. D3-Series

- Electrician's diagonal cutting pliers
- Diagonal cutters for mild steel wire, cutting edge with axial cut
- Insulated & Fully Insulated

Part No.	Length (mm)	Wt (kg)
D3-180	185	0.4
D3-180I*	185	0.4

<sup>\*</sup>Fully Insulated



#### **Cable Cutters**

#### Part No. D180-210

• Precision Cable Cutter

Part No.	Length (mm)	Wt (kg)
D180-210	210	0.4



#### Part No. D18-220

- High Strength Cable Cutter
- Max 20mm CU/AL

Part No.	Part No. Length (mm)	
D18-220	220	0.4





# **Ratchet Cutters**

### ACSR, AL and CU

#### **Part No. K Series**

Don't No.		1 ()	Cuts		\A/# / \	
Part No. Jaw	Length (mm)	ACSR (mm)	AL/CU (mm)	Wt (kg)		
KT471	Closed	265	-	45	0.8	
KT501	Closed	230	17 (11 mm Steel)	22	1.3	
KTF361	Open	320	-	36	1.3	



# Parrot Beak Cutters - Large

**AL, CU and Steel** 

#### **Part No. C Series**

Part No.	Length (mm)	Cuts OD (mm)	Wt (kg)
C16	660	Cu/Al 20, Soft St 16, Hard St 10	2.8
C600	600	Cu/Al 35	2.1



#### **Bolt Cutters**

#### Part No. D60 Series

• Efficient and easy to handle

Part No.	Length (mm)	Steel Cutting Capacity (mm)	Wt (kg)
D60N0	480	8 Dia. (60kg/ mm²) - 6 Dia. (140 kg/ mm²)	1.9
D60N1	645	10 Dia. (60kg/ mm²) - 8 Dia. (140 kg/ mm²)	2.9
D60N2	770	13 Dia. (60kg/ mm²) - 9 Dia. (140 kg/ mm²)	4.6
D60N3	940	14 Dia. (60kg/ mm²) - 10 Dia. (140 kg/ mm²)	6.7



# **KlauKe**®

# 1000V Insulated Battery Powered Cutters - Klauke



Refer Hydraulic Section for more information on 1000V Insulated Battery Cutters















#### **Knives**

- 1000V insulated conforms to CEI 900 and NF EN 60900
- Treated steel blade
- Excellent cutting quality stays sharp
- Guiding "V" for longitudinal cut
- Insulation with injected rigid insulating material
- Bi-material handle (for ease of use and good grip)

#### Part No. CL-IS

• Insulated Knife with Curved blade

Part No.	Includes	Length (mm)	Blade Length (mm)	Wt (kg)
CL-IS-E	Belt Pouch	168	42	0.85
CL-IS-C	Blade Cap	168	42	0.85

#### Part No. D1001-IS

• Insulated Knife with Curved blade and protective Blade Cap

Part No.	Length (mm)	Blade Length (mm)	Wt (kg)
D1001-IS-C	190	64	0.75

#### Part No. C1-IS

• Insulated Knife with straight blade and protective Blade Cap

Part No.	Length (mm)	Blade Length (mm)	Wt (kg)
C1-IS-C	182	56	0.75

#### Hacksaw

#### Part No. D72-IS

- Light frame made of reinforced insulating material.
- Ergonomic bi-material handle for optimal grip.
- Quick release device for the blade with retractable tensioner.
- Hand stop at the front of the mount.

Part No.	Length (mm)	Blade Length (mm)	Wt (kg)
D72-IS	440 (L) x 160 (H)	300	0.5









# **Screwdrivers**

#### Flat Blade

#### Part No. Various

- 1000V insulated conforms to CEI 900, NF EN 60900
- ISO 2380:D23/TB, ISO 8764:CRU
- Vanadium chrome steel

Part No.	Shaft Length (mm)	Width (mm)	Wt (kg)
TB-2.5X50B	50	2.5	0.20
TB-3.5X100	100	3.5	0.45
TB-4X 100B	100	4.0	0.50
TB-5.5X150	150	5.5	0.90
TB-6.5X150	150	6.5	0.12
TB-8X150	150	8.0	0.16
TB-10X150	150	10	0.22
TB-12X200	200	12	0.35

# **Phillips Head**

#### Part No. Various

Part No.	Shaft Length (mm)	Width (mm)	Wt (kg)
CRU-3X100	100	3	0.45
CRU-4X75	<i>7</i> 5	4	0.50
CRU-5X100	100	5	0.75
CRU-6X100	100	6	0.95
CRU-6X125	125	6	0.11
CRU-8X150	150	8	0.16
CRU-10X200	200	10	0.27







# **Shifters (Standard Insulated & Fully Insulated)**

#### Part No. D19 Series

- 1000V insulated conforms to CEI 900, NF EN 60900 & ISO 6787
- Invisible slip joint
- Chrome vanadium steel, easy jaw roller

	, , ,			
Part No.	Туре	Length (mm)	Opening (mm)	Wt (kg)
D19-110	Insulated	120	13	0.1
D19-150	Insulated	160	20	0.2
D19-200	Insulated	210	24	0.3
D19-250	Insulated	260	28	0.5
D19-300	Insulated	310	34	0.8
D19-375	Insulated	385	43	1.5
D19-2001*	Fully Insulated	215	27	0.5
D19-250I*	Fully Insulated	265	32	0.6
D19-3001*	Fully Insulated	315	36	1.0
- II				















#### Part No. D13 Series

- Single head. Made from forged steel, vanadium chrome steel.
- Easier to remove embedded nuts angled 12 point fine heads.
- Chamfer makes it easier to position

Part No.	Length (mm)	Size (mm)	Wt (kg)
D13-10	175	10	0.90
D13-11	175	11	0.95
D13-12	190	12	0.12
D13-13	190	13	0.13
D13-14	200	14	0.15
D13-15	200	15	0.15
D13-16	215	16	0.18
D13-17	215	17	0.19
D13-18	230	18	0.23
D13-19	230	19	0.23

# **Straight Ring**

#### Part No. D12 Series

• Single Head 12 points



Part No.	Length (mm)	Size (mm)	Wt (kg)
D12-10	120	10	0.35
D12-11	120	11	0.40
D12-12	130	12	0.50
D12-13	130	13	0.60
D12-14	130	14	0.65
D12-15	130	15	0.70
D12-16	150	16	0.90
D12-17	150	17	0.11
D12-18	165	18	0.12
D12-19	170	19	0.14
D12-21	180	21	0.17

# Straight Ratchet Ring Spanners (D70-Series) also available - Contact TEN for further information



#### Part No. D14 Series

• Single open-end wrench



Part No.	Length (mm)	Size (mm)	Wf (kg)
D14-10	110	10	0.35
D14-11	110	11	0.34
D14-12	125	12	0.50
D14-13	135	13	0.55
D14-14	145	14	0.70
D14-15	145	15	0.75
D14-16	155	16	0.10
D14-17	155	17	0.10
D14-18	160	18	0.14
D14-19	165	19	0.14
D14-21	180	21	0.20







# **Wrenches**

#### Reversible Ratchet Wrenches - 1/2" & 3/8" Drive

#### **Part No. C Series**

- Equipped with a mechanical locking device to hold the socket in place
- Highly resistant insulating materials.
- Bi-material non-slip handle with "soft" touch for a good grip.
- Large button for reversing the direction of rotation.

Part No.	Length (mm)	Drive	Wt (kg)
C200IVM	213	3/8"	0.43
C250IVM	262	1/2"	0.63

# Torque Wrenches - 1/2" Drive - 8-60Nm

#### **Part No. CD8 Series**

- For precision tightening
- Automatic release and reset
- Graduated adjustment
- 8-60Nm Accuracy 4%
- Torque adjuster locked during use
- Supplied with serial number and verification certificate

Part No.	Length (mm)	Drive	Wt (kg)
CD8-60-12	310	1/2″	1.0
CD8-60R-12	310	1/2″	1.0

# Torque Wrenches - 3/8" Drive - 4-20Nm

#### Part No. CD4-20

- Insulated torque wrench. 4-20 Nm.
- Graduated adjustment
- Torque adjuster locked during use
- Supplied with serial number and verification certificate

Part No.	Length (mm)	Drive	Wt (kg)
CD4-20	230	3/8″	0.9

### Torque Wrenches - 3/8" Drive - 8-60Nm

#### Part No. CD8-60-3.8

- Insulated torque wrench. 8-60 Nm.
- Graduated adjustment
- Torque adjuster locked during use
- Supplied with serial number and verification certificate

Part No.	Length (mm)	Drive	Wt (kg)
CD8-60R-3.8	310	3/8"	1.0

#### T-Handle Wrench - 1/2" Drive

#### Part No. T250

- Accepts ½" Drive Sockets
- 3/8" also available

Part No.	Length (mm)	"T" Handle (mm)	Wt (kg)
T250	300	205 (L)	0.6



R250-125

# HAND TOOLS CONTENTS



# **Socket Extensions**

### 125mm & 250mm Long

#### Part No. C250 Series

- Vanadium chrome steel
- 1/2" square drive

Part No.	Length (mm)	Wt (kg)
R250-125	125	0.2
R250-250	250	0.4

#### Sockets 3/8" and 1/2" Drive

#### Part No. Various

# Socket - 1/2" Drive - 12 Point





# Socket - 1/2" Drive - 6 Point

Part No.	Size (mm)	Length (mm)	Wt (kg)
D250-6P-13	13	55	0.65
D250-6P-16	16	55	0.75
D250-6P-17	17	55	0.80
D250-6P-18	18	59	0.85
D250-6P-19	19	60	0.90



# Socket - 1/2" Drive - 12 Point Long

Part No.	Size (mm)	Length (mm)	Wt (kg)
DL250-12P-13	13	91	0.15
DL250-12P-16	16	91	0.17
DL250-12P-17	17	91	0.17
DL250-12P-18	18	91	0.18
DL250-12P-19	19	91	0.19





#### Also available



#### Sockets - 3/8" Drive - 6 and 12 Point

D200-6P/12P	DL200-6P/12P
³½'' insulated 6 & 12-point socket,	³∕s'' insulated 6 &12-point long socket
From 7 to 24mm	From 7 to 24mm (91 mm Long)

Also available in 1/2" Square Drive - Contact TEN for further information







# Socket -Hex Head - M200 (3/8") & M250 (1/2")

Part No.	Size (mm)	Length (mm)	Wt (kg)		
3%" Drive					
M200-4	4	OAL 60	0.11		
M200-5	4	OAL 60	0.12		
	½" Drive				
M250-4	4		0.075		
M250-5	5		0.075		
M250-6	6		0.080		
M250-7	7	15 Hex Length	0.085		
M250-8	8		0.085		
M250-9	9		0.090		
M250-10	10		0.095		



### Socket - Offset - 17 & 19mm

#### Part No. D11 Series

- Single head, hexagonal 12 points
- Made from forged vanadium chrome steel.
- Deep, resistant socket,
- Strong handle to allow for powerful tightening

Part No.	Length (mm)	Size (mm)	Wt (kg)
D11-17	185	17	0.29
D11-19	195	19	0.43



#### Socket - Fixed - Thandle Wrench

#### Part No. D55Series

- Entire tube in the shape of a hexagon socket screw key
- Heat treated steel

Part No.	Length (mm)	Size (mm)	Wt (kg)
D55-13-300	300	13	0.43
D55-18-300	300	18	0.70
D55-19-300	300	19	0.75
D55-19-400	400	19	0.90
D55-20-400	400	20	0.13



### **Sockets - Radio and T-Handle**

D21 - Radio Wrench	D15 - T-Handle Socket
Radio Wrench Heat treated steel Entire tube in the shape of a hexagon socket screw key.	T-Handled socket wrench (short). Heat treated steel Entire tube in the shape of a hexagonal socket screw wrench.

Other sizes and styles available. Contact TEN for further information.

CONTENTS



# **Allen Keys**

# **Allen Keys - T-Handle**

#### Part No. T62 Series

Part No.	Size (mm)	Length (mm)	Wt (kg)
T62-120-5	5	120	0.10
T62-175-3	3	175	0.17
T62-175-4	4	175	0.17
T62-175-5	5	175	0.05
T62-180-6	6	180	0.20
T62-95-4	4	95	0.10

# **Allen Keys - Curved, Connector & Screwdriver Handle**

D62 - Curved	D62DJEUI - Curved	D62C - Short Hex	CMD - Straight
Allen Key	Allen Key set		Allen Key
Curved Allen key Vanadium chrome steel OAL 120mm, handle 80mm	Kit of 8 Allen Keys on ring Sizes 1.5, 2, 2.5, 3, 4, 5, 6 & 8	Short hex connector  Vanadium chrome steel	Vanadium chrome steel Screwdriver style handle

Contact TEN for available styles and sizes.




### **Fuse Extraction Tool**

#### Part No. DA30IS

- For safe removal of Metal clad service fuses (handbag connections)
- High Mechanical Strength
- Size adjustable Jaws

Part No.	Length (mm)	Jaw Opening (mm)	Wt (kg)
DA30IS	300	20 to 94	0.18







# Socket Sets, Tool Kits & storage solutions available. Contact TEN for more information.



#### **QUEENSLAND**

2B, 605 Zillmere Road ZILLMERE 4034

P +61 7 3212 8999

W www.tengroup.com.au

E salesqld@tengroup.com.au

#### **TEN HIRE**

2B, 605 Zillmere Road ZILLMERE 4034

P +61 7 3212 8999

W www.tenhire.com.au

hire@tengroup.com.au

#### **NEW SOUTH WALES**

Suite F2, Level 1 152-156 Pacific Highway TUGGERAH NSW 2259

P +61 417 631 443

E salesnsw@tengroup.com.au

#### **VICTORIA**

Unit 16, 191-195 Greens Road, DANDENONG STH VIC 3175

P +61 3 9793 1622

E salesvic@tengroup.com.au

### **WESTERN AUSTRALIA**

4/15 Baile Road CANNING VALE WA 6155

P +61 8 9455 5574

E saleswa@tengroup.com.au

# TASMANIA | STH AUSTRALIA

Unit 19, 15 Stanton Place CAMBRIDGE TAS 7170

P +61 499 996 441

E salestas@tengroup.com.au

